NH Fuse Handles

ACCESSORIES FOR FUSES & FUSE SYSTEMS

FUSE PULLERS / CLIP CLAMPS



NH- fuse handles are in accordance with the standards of EN 60269 and VDE 0680 part 4/DIN 43620. They are used to insert and remove NH-fuse links and solid links of sizes 00, 0, 1, 2, 3, 4, 1XL, 2XL and 3L. These fuse links are in accordance with DIN 43620/1 and are used in NH-fuse bases.

The standard NH-fuse handles are tested according to VDE 0680 part 4 and are suitable for voltages up to 1000V. The NH-fuse handles carry the GS - sign (tested safety) verified by the VDE - testing institute in Offenbach/Germany.

FEATURES & BENEFITS

- Available in two versions: with and without fire proof arm protection
- Arm protection = leather cuff
- Large opening for gripping
- Wide hand protection design
- Flame resistant synthetic material
- Corrosion resistant metal parts

APPLICATIONS

- NH-fuse handles are used to insert and remove NH-fuse links and solid links of sizes 00 up to 3L from NH-fuse bases.
- When used in accordance with the relevant operating instructions it is possible to insert and remove both fuse links and solid links under load condition.
- The special label in accordance with VDE 0680 - stamp: “1000V” on the handle enables the user to know that the handle may also be used for live operations in systems up to 1000V AC.

STANDARDS

- DIN VDE 0636-2
- DIN VDE 680-4

© 2021 Mersen. All rights reserved. Mersen reserves the right to change, adapt, limit or discontinue its products. Therefore the data provided herein are for information only and are not contractually binding. To ensure that Mersen provides the best solution to your needs, please contact and provide Mersen with all relevant technical specifications and conditions.

NH Fuse Handles

PRODUCT RANGE



08024.000000

NH Fuse Handle with arm protection

Catalog number	Item number	Size	Design	Package	Weight
08024.000000	X216105	00 to 4	with fire proof arm protection to DIN VDE 0636-2, DIN VDE 608-4	1	0.43 kg



NHHANDLE-1500




NHHANDLE

NH Fuse Handle without arm protection

Catalog number	Item number	Size	Design	Package	Weight
NHHANDLE-1500	S1069815	1XL, 2XL, 3L	without arm protection to DIN VDE 0636-2, DIN VDE 608-4	1	0.20 kg
NHHANDLE	P215592	00 to 4	without arm protection to DIN VDE 0636-2, DIN VDE 608-4	5/25	0.16 kg

DIMENSIONS

NH-fuse handle size 00 to 4




Dimensions in mm

© 2021 Mersen. All rights reserved. Mersen reserves the right to change, adapt, limit or discontinue its products. Therefore the data provided herein are for information only and are not contractually binding. To ensure that Mersen provides the best solution to your needs, please contact and provide Mersen with all relevant technical specifications and conditions.

DIMENSIONS

NH-fuse handle 1XL 2XL 3L



Dimensions in mm

© 2021 Mersen. All rights reserved. Mersen reserves the right to change, adapt, limit or discontinue its products. Therefore the data provided herein are for information only and are not contractually binding. To ensure that Mersen provides the best solution to your needs, please contact and provide Mersen with all relevant technical specifications and conditions.