Rittal – The System.

Faster – better – everywhere.

Small equipment box, 4 U, shielded for one 482.6 mm (19") mounting level – DK 5501.900

Date : Apr 26, 2021

Small equipment box, 4 U, shielded for one 482.6 mm (19") mounting level – DK 5501.900

created: 26.04.2021 build on www.rittal.com/uk-en





Product description

Description:	For accommodation of small equipment and other accessories within a partitioned 482.6 mm (19") installation level. The small equipment box contains an adjustable mounting base which can be used to further sub-divide the box.
Material:	Sheet steel Brush strip: Plastic, UL 94-HB
Surface finish:	Spray-finished
Colour:	RAL 9005
Supply includes:	Small equipment box with brush strip 1 shelf

Product description

Dimensions:	Width: 427 mm Height: 170 mm Depth: 400 mm
Contact surface:	Width: 405 mm Depth: 300 mm
Load capacity:	200 N surface load, static
Packs of:	1 pc(s).
Weight/pack:	9.85 kg

Â© Rittal 2021

Copper weight (kg per piece):	0
EAN:	4028177806337
Customs tariff number:	94032080
ETIM 7.0:	EC002713
ETIM 6.0:	EC002713
eCl@ss 8.0/8.1:	27180101
eCl@ss 6.0/6.1:	27180101
Product description:	DK 19"-Small components box, shielded, 4 U, for one pair of 482.6 mm (19") mounting angles, Sheet steel

Approvals

Certificates:	NA