KLEENGUARD®

Technical Data Sheet

Product Data Sheet for KleenGuard® G40 Polyurethane Coated Gloves - Hand-Specific Pairs / Grey & Black

Product Information

Customer Facing Code	38726 - 38730
Description	KleenGuard® G40 Polyurethane Coated Gloves - Hand-Specific Pairs / Grey & Black
PDS Reference	25/06/2020
Status	On Sale

Packaging Configuration

Case Contents	38726: 5 Bags x 12 Pairs = 60 Pairs 38727: 5 Bags x 12 Pairs = 60 Pairs 38728: 5 Bags x 12 Pairs = 60 Pairs 38729: 5 Bags x 12 Pairs = 60 Pairs 38730: 5 Bags x 12 Pairs = 60 Pairs
Outer Pack Material	Corrugated

Packaging and Palletisation

Code/Size	ITF Barcode	EAN Barcode	Case LWH (cm)	Net/Gross Weight (kg)	Pallet Type	Pallet LWH (m)	Cases per Pallet	Inner Gross Weight (Kg)
38726-7	10036000387268	036000387261	42.7 x 25.6 x 14.7	1.392/1.86	E5	1.20 x 0.80 x 1.32	6 x 8 =48	0.31
38727-8	10036000387275	036000387278	42.7 x 25.6 x 14.7	1.392/1.86	E5	1.20 x 0.80 x 1.32	6 x 8 =48	0.31
38728-9	10036000387278	036000387285	42.7 x 25.6 x 14.7	1.392/1.86	E5	1.20 x 0.80 x 1.32	6 x 8 =48	0.31
38729-10	10036000387299	036000387292	42.7 x 25.6 x 14.7	1.392/1.86	E5	1.20 x 0.80 x 1.32	6 x 8 =48	0.31
38730-11	10036000387305	036000387380	42.7 x 25.6 x 14.7	1.392/1.86	E5	1.20 x 0.80 x 1.32	6 x 8 =48	0.30

Product Description

KleenGuard™ gloves are designed to protect hands against mechanical hazards and general industrial applications, getting the job done when safety and flexibility is key. Each hand specific pair of gloves is available in a choice of five sizes with colour-coded cuffs offering PPE category 2 protection. Perfect for automotive, aerospace, metal manufacturing and construction environments when sensitive touch and the handling of small parts is required. These 15 gauge gloves have a grey polyurethane coating for excellent dexterity and sensitivity in light or medium assembly tasks plus superior wet/dry grip and oil repellency. The seamless knitted nylon backing offers breathability and comfort. .For other glove sizes, see product codes 38726, 38727, 38728 and 38729. 5 bags x 12 pairs hand specific, grey & black gloves, 11, (120 total)

Features and Benefits

Features	Benefits
Roughened grey polyurethane coated palm	To offer excellent oil repellency, mechanical protection for dry and/or slightly oily tasks and excellent grip
Seamless 15 gauges nylon knitted shell	To provide breathability and comfort but also dexterity and protection for light/medium assembly applications

Product Data Sheet for KleenGuard® G40 Polyurethane Coated Gloves - Hand-Specific Pairs / Grey & Black

Product Configuration

Sterile	No	**Latex Free**	Yes
Main Protection Type	CE Intermediate	**Application**	Industrial
Ambidextrous	No	**Powdered**	No
Material	Nylon	**Coated**	Palm Coated
Liner	Seamless Knitted Black Shell	**Coating**	Grey Polyurethane
Colour	Grey & Black	**Chlorinated**	No
Cuff Style	Knitwrist	**Gauge**	15
Glove Shape	Hand Specific	**Length**	220 - 260 mm

International Standards and Symbols

Solution

Safer Workplace	We know staff safety is your top priority. You can rely on our solutions to protect them, their environment and your important work.	
Productive Workplace	The success of your business hinges on your work efficiency. That's why our solutions are designed to help improve your productivity.	

Standard R+E

EN 388:2003	This standard which is designed to assess the performance of a fabric or layers of fabric for their ability to resist mechanical risks of abrasion, blade cut,tear and puncture. The test procedure includes a separate test for each of these properties, and a performance level is awarded according to each test result.This standard is only applicable in conjunction with EN420	
CE Mark	Simple - CAT I, Intermediate - CAT II or Complex - CAT III	

Trade

ISO 9001	This gives the requirements for quality management systems, is now firmly established as the globally implemented standard for providing assurance about the ability to satisfy quality requirements and to enhance customer satisfaction in supplier-customer relationships.	

Packaging

Unit Of Sale	Case	**Max Weight(kg)**	2.05
Case Dimension(LXWXH)(cm)	42.7 x 25.6 x 14.7	**Inner Pack Material**	Paper

Product Data Sheet for KleenGuard® G40 Polyurethane Coated Gloves - Hand-Specific Pairs / Grey & Black

Instructions

The open book pictogram - indicates that the user should read and understand the USER INSTRUCTIONS before using the garment.

Protect from heat and radioactive sources.

Keep Dry. Store in a cool, dry place.

Information

It is the employer's responsibility to assess the risk of the task to be undertaken and determine the correct choice of personal protective equipment for the task. The manufacturer, Kimberly-Clark, does not accept any responsibility for the incorrect choice or misuse of the personal protective equipment shown in this brochure. All care has been taken to ensure that the information contained herein is as accurate as possible at the time of publication, however errors may occur and legislation concerning personal protective equipment is under constant review and may change in the lifetime of this brochure. Accordingly, the specification for the products may be subject to change. We would advise you to contact INFOFAX if you have any queries concerning the products shown or the suitability of such products for a particular task. Always dispose of used protective equipment in a safe and appropriate manner in accordance with European, National and Local environmental regulations.

Websites	www.kcprofessional.co.uk	**Storage conditions**	Keep dry. Store in a cool dry place and shield from exposure to direct sunlight, intense artificial light or exposure to sources of radiation or ozone.
Durability	This product has a five years shelf life from the date of manufacture.		
Customer Service Number	For more information please contact Customer Service during regular office hours-0870 551 044		
Country of Origin	SRI LANKA		

(Code=23872999/LN=01/Country=GB/Type=C)