Specifications

Eaton 098579

Catalog Number: 098579

Eaton xEnergy Safety Ci LV systems LV switchgear. Door, transparent smoky gray, for cap CI44



General specifications

Product Name	**Catalog Number**
Eaton xEnergy Safety Ci door	098579
EAN	**Product Length/Depth**
4015080985792	40 mm
Product Height	**Product Width**
375 mm	375 mm
Product Weight	**Compliances**
0.799 kg	RoHS conform

Powering Business Worldwide

Product specifications

Used with

CI44…, D…-CI44
CI48…, D…-CI48
xEnergy Safety Ci
Accessory for basic enclosures
Basic enclosure

Special features

Adhesive film for marking the cutout
Delivery with fixing screws
For increasing the mounting depth by 13.5 mm and the exterior height by 16 mm
Opening angle 180°
Door hinges can be subsequently changed to left, right, top or bottom.

Type

Accessory for basic enclosures
Basic enclosure
xEnergy Safety Ci

Features

Version as glazed door

Accessory/spare part type

Doors

Surface finishing

Untreated

Color

Other

Degree of protection

IP65
NEMA Other

Unit type

Modular system

Cover/door type

Transparent, smoky gray

Material

Resources

Brochures

eaton-xenergy-safety-ci-subway-line-success-story-en-us.pdf

eaton-xenergy-safety-ci-enclosure-brochure-br014001en-en-us.pdf

Catalogs

eaton-xenergy-ci-safety-catalog-ca015006en-en-us.pdf

Drawings

eaton-insulated-boards-door-xenergy-safety-ci-dimensions-003.eps

320I206

Installation instructions

IL0688

mCAD model

t_ci44.stp

t_ci44.dwg

Plastic

Model

Protective door

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia