
PRODUCT-DETAILS

# AUX T1...T6 3Q 1SY

AUX T1...T6 3Q 1SY



## General Information

| | |
|---|---|
| Extended Product Type | AUX T1...T6 3Q 1SY |
| Product ID | 1SDA051369R1 |
| EAN | 8015644517908 |
| Catalog Description | AUX T1...T6 3Q 1SY |
| Long Description | 3 CHANGEOVER CONTACT OPEN-CLOSED + 1 CHANGEOVER FOR TRIPPED INDICATION T1-T2-T3-T4-T5-T6 |

## Ordering

| | |
|---|---|
| EAN | 8015644517908 |
| Minimum Order Quantity | 1 piece |
| Customs Tariff Number | 85389099 |

## Dimensions

| | |
|---|---|
| Product Net Weight | 0.04 kg |

## Container Information

| | |
|---|---|
| Package Level 1 Units | 1 piece |
| Package Level 1 Width | 110 mm |
| Package Level 1 Height | 60 mm |

| | |
|---|---|
| Package Level 1 Depth / Length | 140 mm |
| Package Level 1 Gross Weight | 0.077 kg |
| Package Level 1 EAN | 8015644517908 |

## Additional Information

| | |
|---|---|
| Configuration Type | Loose or configurable |
| Device | T1-T2-T3 |
| Number of Auxiliary Contacts CO (SPDT) | 3 |
| Product Main Type | Accessories for Tmax T |
| Product Name | Accessory |
| Product Type | ACC |
| Standards | IEC |
| Suitable For | T1, T2, T3, T4, T5, T6 |
| Suitable for Product Class | SACE Tmax T |

## Certificates and Declarations (Document Number)

| | |
|---|---|
| Data Sheet, Technical Information | 1SDC210015D0201 |
| Declaration of Conformity - CE | 1SDL000165R0001 |
| Environmental Information | 1SDC210015D0201 |
| Instructions and Manuals | 1SDC210015D0201 |
| RoHS Information | 1SDL000200R0001 |

## Classifications

| | |
|---|---|
| ETIM 6 | EC000041 - Auxiliary contact block |
| ETIM 7 | EC000041 - Auxiliary contact block |
| Object Classification Code | Q |
| UNSPSC | 39120000 |
| WEEE Category | 5. Small Equipment (No External Dimension More Than 50 cm) |

## Categories

Low Voltage Products and Systems → Circuit Breakers → Moulded Case Circuit Breakers → Accessories for Tmax T



