Specifications

Eaton 248433



Catalog Number: 248433

Eaton Distribution parts. Auxiliary contact, 1N/O+1N/C, 4A, 250V AC

General specifications

Product Name
Eaton Distribution parts

Catalog Number
248433

EAN
4015082484330

Product Length/Depth
80 mm

Product Height
75 mm

Product Width
8.8 mm

Product Weight
0.038 kg

Compliances
RoHS conform

Certifications
EN45545-2
IEC 61373

Powering Business Worldwide

Product specifications

Used with

Auxiliary contacts
Accessory for combined residual current/power circuit breaker
Accessory
Accessory for miniature circuit breaker
Accessory for residual current circuit breaker

Type

Accessory
Accessory for combined
residual current/power
circuit breaker
Accessory for miniature
circuit breaker
Accessory for residual
current circuit breaker

Application

Switchgear for industrial and advanced commercial applications

Accessory/spare part type

Auxiliary contacts

Mounting method

For fitting on left to: LS, FI/LS

Additional equipment required

Auxiliary switch

Ambient operating temperature - max

40 °C

Ambient operating temperature - min

-5 °C

Assembly width

0.5 TE

Number of contacts (change-over contacts)

0

Number of contacts (normally closed contacts)

1

Number of contacts (normally open contacts)

1

Number of poles at main contact unit - max

2

Resources

Declarations of conformity

DA-DC-03_Z-AHK

Drawings

eaton-dimensions-mas-ahk.jpg

eCAD model

ETN.Z-AHK.edz

Installation instructions

MA150501253

mCAD model

z_ahk.dwg

z_ahk.stp

Wiring diagrams

AHK

Number of switches (fault signal)

0

Voltage type

AC

Functions

Auxiliary switch

Device fitting

Universal

Rated operational voltage (Ue) - max

230 V

Rated switch current

3 A

Suitable for current of main contact unit - max

4 A

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia