
## Dual ball catches A

Coutersunk on both sides of the catch.
Strike can be secured on 4 sides of the catch.



| Part number | Material | Finish | A | B | C | D | E | F | G | H | J | K | L | S1 | S2 | Weight (g) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 16-7-3469 | zinc die-cast | brass | 50 | 11 | 12.5 | 30 | 3 | 40 | 21 | 30.5 | 8.1 | 18 | 1.4 | 4.2 | 3.5 | 21.5 |
| 16-7-3470 | zinc die-cast | brass | 60 | 14.5 | 14.5 | 38 | 3 | 48 | 27 | 42 | 10 | 20.1 | 2.0 | 4.2 | 4.2 | 37.5 |
| 16-7-3471 | zinc die-cast | brass | 70 | 17.5 | 16.5 | 44 | 3.5 | 57 | 34.5 | 50.5 | 12 | 22.3 | 2.0 | 4.2 | 3.2 | 58.8 |





## Dual ball catches B

Strike can be secured on 2 sides of the catch.




| Part number | Material | Finish | A | B | C | D | E | F | G | H | J | K | L | S1 | S2 | Weight (g) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 16-7-3423 | zinc die-cast | brass | 42 | 8.2 | 10.6 | 26 | 2.9 | 34 | 16.9 | 25 | 8 | 14 | 1.2 | 3.5 | 3.0 | 13.7 |



## Zinc die-cast dual ball catches




| Part number | Material | Finish | A | B | C | C1 | C2 | D | E | F | G | H | J | K | L | S | Force | Weight (g) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 16-7-4211 | zinc die-cast | chrome plated | 42.5 | 8 | 14 | 10 | 6.5 | 26.7 | 2.5 | 35 | 16 | 25 | 7.5 | 11.3 | 2.5 | 3.2 | 3kg | 16 |
| 16-7-4212 | zinc die-cast | chrome plated | 50 | 10 | 16 | 12.5 | 7.4 | 29.8 | 3 | 40 | 20 | 30 | 9 | 12.3 | 2.5 | 4.2 | 3.3kg | 26 |
| 16-7-4213 | zinc die-cast | chrome plated | 70 | 13.5 | 21.2 | 17 | 11 | 49 | 4 | 60 | 30 | 42 | 10.5 | 17.2 | 3 | 4.2 | 3.5kg | 70 |




## Ball catches



| Part number | Material | Finish | A | B | C | D | E | F | Weight (g) |
|---|---|---|---|---|---|---|---|---|---|
| 16-7-3330 | brass | raw | 8 | 7.4 | 4.5 | 6.5 | 9 | 16 | 3.7 |
| 16-7-3331 | brass | raw | 10 | 8.5 | 6.5 | 8 | 11 | 16 | 6.5 |
| 16-7-3332 | brass | raw | 12 | 9 | 7 | 10 | 13 | 19.5 | 9.9 |
| 16-7-3333 | brass | raw | 13 | 10.5 | 7.2 | 10 | 14 | 19.5 | 13.5 |





## Roller catch without counterplate




Rubber rollers. Housing in ABS. Shaft in brass.

| Part number | Material | Finish | A | B | Force | Weight (g) |
|---|---|---|---|---|---|---|
| 16-1-3594 | plastic | white | 53 | 14 | up to 1.5kg | 9 |





16-1-3594 + 16-1-3595 & 3596


## Counterplates for part number 16-1-3594




Strike in ABS.

| Part number | Material | Finish | A | B | Note | Weight (g) |
|---|---|---|---|---|---|---|
| 16-1-3596 | plastic | white | 34 | 10 | without pin | 1.5 |
| 16-1-3595 | plastic | white | 34 | 10 | with pin | 1.5 |







## Snap-in knuckle catch in plastic



Snap-in type body for easy installation on sheet metal applications.
3 panel thicknesses (E) : 0.8 mm, 1.0 mm and 1.2 mm
Cut-out dimensions vary depending on panel thickness.
Internal catch body tolerance of 1.5 mm for ease of alignment.
Push-in force : 2.0 kg.
Pulling force : 2.0 kg.
Body in polyacetal (POM) and strike in polyamide (PA).

| Part number | Material | Finish | A | B | C | Force | Weight (g) |
|---|---|---|---|---|---|---|---|
| 16-7-4214 | plastic | white | 43 | 21.2 | 10 | 2kg | 5.2 |





## Plastic catch




Push in force : 5.7 kg
Pulling force : 7.1 kg
Body in polyamide (PA) and strike in polyacetal (POM).


| Part number | Material | Finish | A | B | C | Force | Weight (g) |
|---|---|---|---|---|---|---|---|
| 16-7-3860 | plastic | white | 35.4 | 30.5 | 13 | 7.1kg | 4.5 |




## Touch latch A



| Part number | Material | Finish | A | C | Weight (g) |
|---|---|---|---|---|---|
| 16-7-3838 | steel | nickel plated and white plastic | 33 | 11 | 20 |









## Touch latch B

Chrome plated strike.



| Part number | Material | Finish | A | B | C | Force | Weight (g) |
|---|---|---|---|---|---|---|---|
| 16-7-4210 | plastic | black | 43 | 26.5 | 17.8 | 10kg | 16.3 |








## Catch

Nylon hook, rubber damper.



| Part number | Material | Finish | A | B | Force | Weight (g) |
|---|---|---|---|---|---|---|
| 16-1-3271 | steel | zinc plated | 97 | 39 | 8kg | 100 |




## Counterplate for part number 16-1-3271

Nylon roller.



| Part number | Material | Finish | A | B | Weight (g) |
|---|---|---|---|---|---|
| 16-1-3272 | steel | chrome plated | 62 | 22 | 41 |

