Rittal – The System.

Faster – better – everywhere.

Drawer for one 482.6 mm (19") mounting level – DK 5502.325

Date : Apr 26, 2021

ENCLOSURES POWER DISTRIBUTION CLIMATE CONTROL IT INFRASTRUCTURE SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

Drawer for one 482.6 mm (19") mounting level – DK 5502.325

created: 26.04.2021 build on www.rittal.com/uk-en



Product description

Description:	For front attachment to mounting angles, 482.6 mm (19"). With cover and telescopic slides to accommodate assignment lists, operating manuals and small parts. The small version of the 2 U variant is also suitable for mounting inside a swing frame.
Material:	Sheet steel
Colour:	RAL 9005
Supply includes:	Fully assembled Security lock 12321 Assembly parts

Product description

Dimensions:	Width: 19"
Clearances:	Clearance width: 411 mm Clearance depth: 419 mm
Units:	3 U
Installation dimensions:	Installation depth: 427 mm
Packs of:	1 pc(s).
Weight/pack:	8.19 kg

Copper weight (kg per piece):	0
EAN:	4028177679399
Customs tariff number:	73269098
ETIM 7.0:	EC002620
ETIM 6.0:	EC002620
eCl@ss 8.0/8.1:	27189261
eCl@ss 6.0/6.1:	27189261
Product description:	DK Drawer, 3 U, For a 482.6 mm (19") attachment level, Installation depth: 427 mm, RAL 9005

Approvals

Certificates:	NA