Specifications

Eaton 248441



Catalog Number: 248441

Eaton Distribution parts. Shunt release, up to 125A, 12-60V, 1.5HP

General specifications

Product Name
Eaton Distribution parts

Catalog Number
248441

EAN
4015082484415

Product Length/Depth
80 mm

Product Height
75 mm

Product Width
39.1 mm

Product Weight
0.159 kg

Compliances
RoHS conform

Certifications
EN45545-2
IEC 61373

Powering Business Worldwide

Product specifications

Used with

Shunt releases

Accessory

Accessory for miniature circuit breaker

Type

Accessory

Accessory for miniature

circuit breaker

Application

Switchgear for industrial and advanced commercial applications

Accessory/spare part type

Shunt release

Mounting method

For fitting on left to: AZ

Additional equipment required

Shunt release (for power circuit breaker)

Ambient operating temperature - max

40 °C

Ambient operating temperature - min

-5 °C

Assembly width

1.5 TE

Number of contacts (change-over contacts)

0

Number of contacts (normally closed contacts)

1

Number of contacts (normally open contacts)

1

Number of poles at main contact unit - max

1

Number of switches (fault signal)

0

Voltage type

AC

Functions

Shunt release (for power circuit breaker)

Resources

Declarations of conformity

DA-DC-03_Z-LHASA

Drawings

eaton-dimensions-mas-lhasa.eps

eaton-dimensions-ma-lhasa.jpg

eCAD model

ETN.Z-LHASA_24.edz

Installation instructions

IL019166ZU

mCAD model

z_lhasa_230.stp

z_lhasa_230.dwg

Wiring diagrams

Z7_asa

Device fitting

Miniature circuit breaker (MCB)

Rated operational voltage (Ue) - max

24 V

Rated switch current

18 A

Suitable for current of main contact unit - max

14 A

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia