Technical datasheet











AS SC-2345 TL20

Assortment Box ov 150pcs, Releasable, Splicing Connectors

CE

Product Properties:

Type of locking/unlocking	Lever
Nominal voltage	450 V
Nominal current	32 A
Suitable for solid conductors	Yes
Transparent	Yes
Number of clamp positions	2-5 .
With operation lever	Yes
Suitable for solid core	Yes
Suitable for flexible core	Yes
Suitable for multi-wire core	Yes
Colour	Green

Dimensions:

Max. AWG-size	12

Min. AWG-size	Other
Nominal cross section (device side)	0.2-4 mm²
Nominal cross section (installation side)	0.2-4 mm²
Cable diameter	1-4 mm
Conductor cross section flexible (fine-strand) with cable end sleeve	0.2-4 mm²
Conductor cross section solid (solid, stranded)	0.2-4 mm²
Width	200 mm
Height	41 mm
MOQ	1 .
Unit	pcs
Nominal cross section	0.2-4 mm²
Length	225 mm
Nominal voltage	450 V

Approvals:

Approved according to CE	Yes

Compliance:

REACH	No SVHC (Latest. 04 Feb 2026)
RoHS	RoHS 3 (2015/863)
SCIP	Not Applicable

Other information:

ETIM-Class	EC000446 - Screwless terminal
ETIM-Release	9.0
Trademark	NEMIQ
Product Group	Splicing Connectors - Assortment Boxes
Search Description	SKV2024ERIK3
Alternative SKU	ASSC-2345TL20

Logistic information:

Barcode	733117641339
Country of origin	CN
Item status	Stock item, normally in stock with reservation for in between sales.
MOQ	1 .
Stock code	AS SC-2345 TL20
Taric code	85369010
Unit	pcs

*We reserve the right to make technical changes and disclaim any typographical errors.