Specifications

Eaton 005093

Catalog Number: 005093

Eaton xEffect SASY 60i Enclosures Switch- & Controlgear Enclosure. Copper busbar, 12x5x2250mm, tinned



General specifications

Product Name
Eaton xEffect SASY 60i copper busbar flat

Catalog Number
005093

EAN
4015080050933

Product Length/Depth
2250 mm

Product Height
5 mm

Product Width
12 mm

Product Weight
1.21 kg

Compliances
RoHS conform

Certifications
EN 13061

Powering Business Worldwide

Product specifications

Used with

SH0165/2
Compact system
60 mm system
Modular busbar system
Accessory panel building
General switchboard accessory
System for flat busbars

Special features

Flat copper busbars

Type

60 mm system
Accessory panel building
Compact system
General switchboard accessory
Modular busbar system
System for flat busbars

Accessory/spare part type

Flat copper bars

Surface finishing

Tinned

Surface protection

Tinned

Unit type

Modular system

Nominal current

160 A

Distance between busbar centers

60 mm

Functions

Prepared enclosure
Flat busbar
System for flat busbars

Rated operation current (Ie)

160 A

Material

Copper, tinned

Resources

Brochures

eaton-xeffect-sasy60i-customer-success-story-css-wagner-mueller-en-us.pdf

Catalogs

Product Range Catalog Switching and protecting motors

eaton-xeffect-sasy-60i-fk4300-1167gb-en-us.pdf

Certification reports

eaton-xeffect-sasy-60i-declaration-of-conformity.pdf

Drawings

eaton-control-panels-xeffect-sasy-busbar-3d-drawing.eps

Model

Flat

Uninterrupted current (Iu) of bar

520 A (20 x 10 mm, Tu=35 °C and Ts=65 °C)

320 A (12 x 5 mm, Tu=35 °C and Ts=65 °C)

360 A (12 x 10 mm, Tu=35 °C and Ts=65 °C)

450 A (30 x 5 mm, Tu=35 °C and Ts=65 °C)

200 A (12 x 5 mm, Tu=35 °C and Ts=65 °C)

630 A (30 x 10 mm, Tu=35 °C and Ts=65 °C)

Powering Business Worldwide

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia