Brand of NTN corporation


# Technical data

## BBE60UU

Standard ball bushings closed



## VISUAL (S)




## PRODUCT DEFINITION

| | |
|---|---|
| **Brand** | SNR |
| **Design type** | BBE |
| **Ball bushings category** | Standard ball bushings, closed |
| **Standard** | ISO dimension |
| **Number of seals** | 2 |
| **Material outer cylinder or steel segments** | 100Cr6 |
| **Material Cage** | PA |
| **Initial greasing** | Non/No |
| **d - Internal diameter** | 60 mm |

# BBE60UU
## Standard ball bushings closed

| PRODUCT DEFINITION | |
|---|---|
| **d - Internal diameter tolerance** | 0,013/-0,002 |
| **D - External diameter** | 90 mm |
| **D - External diameter tolerance** | 0/-0,015 |
| **L - Length** | 125 mm |
| **L - Length tolerance** | 0/-0,4 |
| **L1** | 101,7 mm |
| **L1 tolerance** | 0/-0,4 |
| **D1 - Diameter** | 86,5 mm |
| **L2** | 3,15 mm |
| **Number of ball rows** | 6 |
| **Mass** | 2,22 kg |

| PRODUCT PERFORMANCE | |
|---|---|
| **Cmin** | 6,086 kN |
| **Cmax** | 7,79 kN |
| **C0min** | 9,8 kN |
| **C0max** | 12,544 kN |
| **Tmin - Min operating temperature** | -20 °C |
| **Tmax - Max operating temperature** | 80 °C |

| ESHOPDONOTDISPLAY | |
|---|---|
| **Reference** | BBE60UU |
| **Image** | BBE+BB_1.JPG, BBE+BB_3.JPG |
| **Send to Eshop** | Yes |
| **Send to Paper Catalog** | Yes |

| ESHOPDONOTDISPLAY | |
|---|---|
| **Tracepart** | Oui/Yes |