PRODUCT-DETAILS

260-1350

INDEX EMC M25 STRIPPED CBL G 6-11MM



General Information

Extended Product Type	260-1350
Product ID	7TCA296230R0066
EAN	5016947002415
Catalog Description	INDEX EMC M25 STRIPPED CBL G 6-11MM
Long Description	Cable Gland, Stripped Cable Sheath Allowing the Outer Sheath to Be Completeley Stripped from the Cable, M25 Thread, 11mm Thread Length, 33.5mm Gland Diameter, 30mm Across Flats Diameter, 6-11mm Cable Diameter Range, Nickel Plated Brass, Stainless Steel Spring, Rubber Seal, IP68

Additional Information

Application	Provide Strain Relief and Connection for Conduit Systems
Product Type	Index EMC Type A Cable Gland

Ordering

EAN	5016947002415
UPC	786210271552

© 2024 ABB. All rights reserved.

Technical

Number of Batteries	0
Color	Brass
Material	Nickel Plated Brass, Stainless Steel Spring, Rubber Seal (TPE-V)
Size	M25

Environmental

WEEE Category	Product Not in WEEE Scope

Container Information

Package Level 1 Units	1 piece
Package Level 1 Height	1 in 25 mm
Package Level 1 Depth / Length	1 in 25 mm
Package Level 1 Width	1 in 25 mm

Certificates and Declarations

Data Sheet, Technical Information	260-1350
Instructions and Manuals	260-1350
Declaration of Conformity - CE	9AKK107492A9618
RoHS Information	9AKK107992A8994
RoHS Date	9AKK107992A8994
REACH Declaration	9AKK107992A8994

Classifications

ETIM 8	EC000441 - Cable gland
UNSPSC	39121431

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

© 2024 ABB. All rights reserved.



© 2024 ABB. All rights reserved.