Specifications

Eaton KLM-2



Catalog Number: KLM-2

Eaton Bussmann series KLM fuse, 2 A, Non-indicating, Ferrule end x ferrule end, 50 kAIC at 600 Vdc, 100 kAIC at 600 V, Melamine tube, Nickel-plated bronze endcap, 600 V, 600 Vdc

General specifications

Product Name
Eaton Bussmann series KLM fuse

Catalog Number
KLM-2

UPC
051712695091

Product Length/Depth
0.001 in

Product Height
0.001 in

Product Width
0.001 in

Product Weight
0.18 lb

Warranty
Not Applicable

Compliances
RoHS Compliant
CE Marked

Powering Business Worldwide

Electrical rating

Amperage Rating

2 A

Interrupt rating

50 kAIC at 600 Vdc

100 kAIC at 600 Vac

Voltage rating

600 Vac, 600 Vdc

Physical details

Material

Nickel-plated bronze endcap

Melamine tube

Packaging type

Standard

General information

Connection

Ferrule end x ferrule end

Fuse indicator

Non-indicating

Special features

Indicating

Resources

Catalogs

Bussmann series complete full line catalog no. 1007

Multimedia

Bussmann series Fuseology

Specifications and datasheets

Eaton Specification Sheet - KLM-2

Technical data sheets

KLM-2~LIMITRON FAST ACTING FUSE

Technical service bulletins

Datasheet - FNQ-30



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia