

2-Port USB KVM Switch


TK-207K (v2.0R)

- 2-Port KVM switch with VGA and USB connections to computers
- Device monitoring with Auto-Scan and audible feedback
- High quality 2048 x 1536 resolution for a crisp display
- Supports most operating systems and advanced mouse designs
- Control two computers with one set of console controls
- Bus powered – No external power adapter required
- All required cabling included
- No CD installation required


TRENDnet's 2-Port USB KVM Switch, model TK-207K, allows you to manage two PCs with just one set of keyboard, monitor, and mouse. Switch between 2 PCs with a simple press of a button. Separate sets of KVM cables are included with the KVM Switch so that users can start controlling 2 PCs instantly. The KVM cables also provide power to the KVM Switch, eliminating the need for a power adapter. Hot Key operations provide immediate access to features such as computer switching, and auto-scanning. With its Hot-Plug and Audible Feedback, the 2-Port USB KVM Switch is an ideal choice for managing multiple PCs.



VGA
Designed for VGA systems with resolutions up to 2048 x 1536 with a 60Hz refresh rate.



Push Button Controls
Use the front panel push buttons to switch between computers.



Included Cables
This KVM kit includes two sets of KVM cables.

NETWORKING SOLUTION





FEATURES

Computers
Control up to 2 computers with one set of console devices

VGA
This VGA KVM switch supports resolutions up to 2048 x 1536 with a 60Hz refresh rate

Push Button Controls
Use the front panel push buttons to switch between computers on the KVM switch

Hot Keys
This VGA KVM switch features keyboard hot key commands for switching between computers

USB Mouse & Keyboard
Features USB keyboard and mouse connections

Included Cables
This KVM kit includes two sets of KVM cables

Computer Ports
Requires free USB and VGA ports from connected computers

SPECIFICATIONS

Console Port Connectors
- 1 x VGA /SVGA HDB 15-pin (Female)
- 2 x USB ports (Keyboard / Mouse)

Computer Interface (up to 2)
- 1 x USB Type A
- 1 x VGA /SVGA HDB 15-pin (Female)

Cables (2 sets)
- Length: 1.2m (4 ft.)
- VGA /SVGA (Male) to VGA /SVGA (Male) / USB Type A

Monitor Resolution
- 2048 x 1536 @ 60Hz

Switching Control
- Front panel push buttons
- Keyboard hot key commands

Operating Temperature
- 0° – 40° C (32° – 104° F)

Operating Humidity
- Max. 90% non-condensing

Power
- USB powered
- Max. consumption: 0.7W

Dimensions
- 95 x 63 x 24mm (3.74 x 2.48 x 0.95 in.)

Weight
- 96g (3.4 oz.)

Certifications
- CE
- FCC

Warranty
- 2 year

Package Contents
- TK-207K
- Quick Installation Guide
- 2 x KVM Cables (1.2m/4 ft.)

20675 Manhattan Place • Torrance • CA 90501 • USA • T: 1-888-326-6061 • F: 1-310-961-5511 • sales@trendnet.com • www.TRENDnet.com

TRENDnet is a registered trademark. Other Brands and product names are trademarks of their respective holders. Information provided in this document pertain to TRENDnet products and is subject to change at any time, without notice. For the most recent product information please visit http://www.trendnet.com. Copyright © TRENDnet. All Rights Reserved.

Updated: 3/11/2022