Specifications

Eaton 271530



Catalog Number: 271530

Eaton xEnergy Safety Ci LV systems LV switchgear. Insulated enclosure, box size HxWxD=750x375x275mm, for NZM size 4, TVDR

General specifications

Product Name
Eaton xEnergy Safety Ci MCCB enclosure

Catalog Number
271530

EAN
4015082715304

Product Length/Depth
275 mm

Product Height
750 mm

Product Width
375 mm

Product Weight
13.639 kg

Compliances
IEC
RoHS conform

Powering Business Worldwide

Product specifications

Used with

NZM3(-4), PN3(-4), N(S)3(-4)

xEnergy Safety Ci

Special features

With door coupling rotary handle Complete with all required functional parts

Type

xEnergy Safety Ci

Fitted with:

Transparent cover

Red-yellow for emergency switching off

Frame

NZM3

Enclosure

CI48-250

Accessory/spare part type

Others

Degree of protection

IP65

Other

Enclosure material

Plastic

Rated uninterrupted current (Iu) at max. cross section

≤ 400 A

Terminal for retrofitting of 5th conductor (neutral conductor)

K95/1N/BR, K150/1/BR, K240/1/BR, K2X240/1/BR

Locking facility

Lockable in the 0 position using up to 3 padlocks on the handle and/or switch each. Additionally with cover interlock.

Model

Surface mounting

Number of poles

Three-pole/Four-pole

Suitable for

Emergency stop

Resources

Brochures

eaton-xenergy-safety-ci-subway-line-success-story-en-us.pdf

eaton-xenergy-safety-ci-enclosure-brochure-br014001en-en-us.pdf

Catalogs

eaton-xenergy-ci-safety-catalog-ca015006en-en-us.pdf

Declarations of conformity

DA-DC-03_NZM3

Drawings

eaton-circuit-breaker-enclosure-xenergy-safety-ci-lv-systems-dimensions-007.eps

mCAD model

nzm3_xci48_tvdvr.dwg

nzm3_xci48_tvdvr.stp



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia