
C2201088


Fastening elements to DIN-Rails

For fastening the cases to DIN-rails according to DIN EN 60 715 TH35. For ROBUST-BOX width 80.

Supply
2 fastening elements, assembly kit







TECHNICAL DATA

Material	PA 6
Colour	light grey RAL 7035
Standards	RoHS compliant, REACH compliant

Please take the dimensions from current parts. These are subject to material- and manufacturing-specific tolerances.

PURCHASING DATA

Weight/1 part	20 g
Customs tariff number (OKW product)	39269097
Country of manufacture	Germany

C2201088

Fastening elements to DIN-Rails

SYSTEM COMPONENTS TO COMPLETE



C0080801
Case shell 80, with groove
ABS (UL 94 HB)
light grey RAL 7035
80x80x20mm



C0080802
Case shell 80, with groove
PC (UL 94 HB)
light grey RAL 7035
80x80x20mm



C0081201
Case shell 80, with groove
ABS (UL 94 HB)
light grey RAL 7035
120x80x20mm



C0081202
Case shell 80, with groove
PC (UL 94 HB)
light grey RAL 7035
120x80x20mm



C0081601
Case shell 80, with groove
ABS (UL 94 HB)
light grey RAL 7035
160x80x20mm



C0081602
Case shell 80, with groove
PC (UL 94 HB)
light grey RAL 7035
160x80x20mm



C0082401
Case shell 80, with groove
ABS (UL 94 HB)
light grey RAL 7035
240x80x20mm




C0082402
Case shell 80, with groove
PC (UL 94 HB)
light grey RAL 7035
240x80x20mm



C1080801
Case shell 80, with tongue
ABS (UL 94 HB)
light grey RAL 7035
80x80x40mm



C1080802
Case shell 80, with tongue
PC (UL 94 HB)
light grey RAL 7035
80x80x40mm




C1081201
Case shell 80, with tongue
ABS (UL 94 HB)
light grey RAL 7035
120x80x40mm



C1081202
Case shell 80, with tongue
PC (UL 94 HB)
light grey RAL 7035
120x80x40mm



C1081601
Case shell 80, with tongue
ABS (UL 94 HB)
light grey RAL 7035
160x80x40mm



C1081602
Case shell 80, with tongue
PC (UL 94 HB)
light grey RAL 7035
160x80x40mm




C1082401
Case shell 80, with tongue
ABS (UL 94 HB)
light grey RAL 7035
240x80x40mm




C1082402
Case shell 80, with tongue
PC (UL 94 HB)
light grey RAL 7035
240x80x40mm

C2201088


Fastening elements to DIN-Rails




C2008081
ROBUST-BOX WIDTH 80, Vers. I
ABS (UL 94 HB)
light grey RAL 7035
80x80x60mm
IP 66



C2008082
ROBUST-BOX WIDTH 80, Vers. II
PC (UL 94 HB)
light grey RAL 7035
80x80x60mm
IP 66



C2008121
ROBUST-BOX WIDTH 80, Vers. I
ABS (UL 94 HB)
light grey RAL 7035
120x80x60mm
IP 66



C2008122
ROBUST-BOX WIDTH 80, Vers. II
PC (UL 94 HB)
light grey RAL 7035
120x80x60mm
IP 66



C2008161
ROBUST-BOX WIDTH 80, Vers. I
ABS (UL 94 HB)
light grey RAL 7035
160x80x60mm
IP 66



C2008162
ROBUST-BOX WIDTH 80, Vers. II
PC (UL 94 HB)
light grey RAL 7035
160x80x60mm
IP 66



C2008241
ROBUST-BOX WIDTH 80, Vers. I
ABS (UL 94 HB)
light grey RAL 7035
240x80x60mm
IP 66




C2008242
ROBUST-BOX WIDTH 80, Vers. II
PC (UL 94 HB)
light grey RAL 7035
240x80x60mm
IP 66




C2080801
Case shell 80, with groove
ABS (UL 94 HB)
light grey RAL 7035
80x80x40mm




C2080802
Case shell 80, with groove
PC (UL 94 HB)
light grey RAL 7035
80x80x40mm




C2081201
Case shell 80, with groove
ABS (UL 94 HB)
light grey RAL 7035
120x80x40mm




C2081202
Case shell 80, with groove
PC (UL 94 HB)
light grey RAL 7035
120x80x40mm




C2081601
Case shell 80, with groove
ABS (UL 94 HB)
light grey RAL 7035
160x80x40mm



C2081602
Case shell 80, with groove
PC (UL 94 HB)
light grey RAL 7035
160x80x40mm




C2082401
Case shell 80, with groove
ABS (UL 94 HB)
light grey RAL 7035
240x80x40mm




C2082402
Case shell 80, with groove
PC (UL 94 HB)
light grey RAL 7035
240x80x40mm

C2201088


Fastening elements to DIN-Rails




C2108081
ROBUST-BOX WIDTH 80, Vers. I
ABS (UL 94 HB)
light grey RAL 7035
80x80x80mm
IP 66




C2108082
ROBUST-BOX WIDTH 80, Vers. II
PC (UL 94 HB)
light grey RAL 7035
80x80x80mm
IP 66




C2108121
ROBUST-BOX WIDTH 80, Vers. I
ABS (UL 94 HB)
light grey RAL 7035
120x80x80mm
IP 66




C2108122
ROBUST-BOX WIDTH 80, Vers. II
PC (UL 94 HB)
light grey RAL 7035
120x80x80mm
IP 66




C2108161
ROBUST-BOX WIDTH 80, Vers. I
ABS (UL 94 HB)
light grey RAL 7035
160x80x80mm
IP 66



C2108162
ROBUST-BOX WIDTH 80, Vers. II
PC (UL 94 HB)
light grey RAL 7035
160x80x80mm
IP 66





C2108241
ROBUST-BOX WIDTH 80, Vers. I
ABS (UL 94 HB)
light grey RAL 7035
240x80x80mm
IP 66



C2108242
ROBUST-BOX WIDTH 80, Vers. II
PC (UL 94 HB)
light grey RAL 7035
240x80x80mm
IP 66

Subject to technical modification without notice. © by OKW Gehäusesysteme, Buchen/Germany.





Bitte die Maße an aktuellen Teilen abnehmen.
Diese unterliegen material und produktionsspezifischen Fertigungstoleranzen

Please take the dimensions from current parts.
These are subject to material- and manufacutring-specific tolerances

Informationskopie
wird nicht aktualisiert
Copy for Information
will not be updated

Erst. am:	09.05.2022	Toleranzen:	Status:	
Erst. von:	D. Hasselbach	DIN 16901 T130	ENTWICKLUNG	
Freig. am:		Volumen:	Zeichnungsart:	DIN 6 Teil 2
Freig. von:			KUNDE	
Revision:	01			

Technische Änderungen vorbehalten. Irrtümer oder Druckfehler begründen keinen Anspruch auf Schadenersatz. Wichtige Einbaumaße bitte direkt mit dem aktuellen Produkt abstimmen.

Subject to technical modification without prior notice. Typographical and other errors do not justify any claim for damages. All dimensions should be verified using an actual moulded part.

Sous reserve de modifications techniques. Toute erreur ou faute d'impression ne justife aucune demande d'indemnisation. Nous prions les clients de verifer les dimensions des composants avec les boitiers avant le montage.

OKW GEHÄUSE SYSTEME

This document contains proprietary information of OKW Gehäusesysteme GmbH and is tendered subject to the conditions that the information be retained in confidence not be reproduced or copied and not be used or incorporated in any product.

ROBUST-BOX Zub
Rastfuss für 80 breit

C2201088

M 1:1

Für dieses Dokument behalten wir uns alle Urheberrechte vor. Es darf auch auszugsweise weder vervielfältigt noch Dritten in irgendeiner Form zugänglich gemacht werden.

Dateiname: 00006569