Specifications

Eaton 197658

Catalog Number: 197658

Eaton SWD4 Flat cable, SmartWire-DT, 0.5 m, 8-Pole, prefabricated with 2 blade terminals SWD4-8MF2



General specifications

Product Name
Eaton SWD4 Accessory Flat cable

Catalog Number
197658

EAN
4015081946440

Product Length/Depth
50 mm

Product Height
20 mm

Product Width
50 mm

Product Weight
0.1 kg

Certifications
CSA
CSA Class No.: 3211-07
CSA File No.: 2324643
UL
UL Category Control No.: NKCR
UL File No.: E29184
UL Listed
CSA certified

Powering Business Worldwide

Features & Functions

Features

UV resistant

General

Outer diameter - approximate

17.5 mm

Outer sheath material

Polyvinyl chloride (PVC)

Permitted bending radius, moving application with forced guidance - min

15 mm

Suitable as

Signaling cable

Safety

Flame retardant

In accordance with EN 60332-1-2

Resources

Brochures

eaton-smartwire-dt-intelligent-wiring-brochure-br120001en-en-us.pdf

Catalogs

Product Range Catalog Drives Engineering

SmartWire-DT Catalog

eaton-product-overview-for-machinery-catalogue-ca08103003zen-en-us.pdf

Declarations of conformity

DA-DC-00003537.pdf

DA-DC-00003868.pdf

Drawings

eaton-modular-plc-swd4-flat-cable-dimensions.eps

eaton-modular-plc-swd4-flat-cable-3d-drawing.eps

eCAD model

DA-CE-ETN.SWD4-M5LF8-24-2S

Installation instructions

IL04716001Z

Installation videos

SmartWire-DT in Application

Manuals and user guides

MN05006002Z_EN

Multimedia

How to process SmartWire-DT modules using the EASY-COM-SWD-C1 module connected to an easyE4?

easyE4 SmartWire-DT module with Remote Touch Display and RMQ

multi color indicator

SmartWire-DT Overview and how to use in easySoft 7

Sales notes

eaton-rmq-chemical-resistance-flyer-fl047011en-en-us.pdf

eaton-electro-hydraulic-module-eu1h-flyer-fl120003en-en-us.pdf

---

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia