Rittal – The System.

Faster – better – everywhere.

# Punched rail 18 x 39 mm for VX – VX 8617.720

Date : Jun 14, 2019

ENCLOSURES POWER DISTRIBUTION CLIMATE CONTROL IT INFRASTRUCTURE SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

# Punched rail 18 x 39 mm for VX – VX 8617.720

created: 14.06.2019 on www.rittal.com/com-en



## Product description

| | |
|---|---|
| **Description:** | For variable, individual interior installation of the enclosure frame on the inner mounting level. |
| **Benefits:** | May also be used in conjunction with other punched sections<br>Prepared at the rear to accommodate cable ties for optimum cable routing inside the enclosure<br>Simply insert into the system punchings, even with the mounting panel in its rearmost position |
| **Material:** | Sheet steel |
| **Surface finish:** | Zinc-plated |
| **Supply includes:** | Assembly parts |
| **Note:** | In enclosures with a mounting plate, 2 punched rails are already included with the supply. |

## Product features

| | |
|---|---|
| **To fit:** | Width/depth: 600 mm |
| **Installation options:** | On the horizontal and vertical VX enclosure section, on the inner mounting level |
| **Packs of:** | 4 pc(s). |
| **Weight/pack:** | 2.54 kg |
| **Copper weight (kg** | 0 |

© Rittal 2019

| | |
|---|---|
| **per piece):** | |
| **EAN:** | 4028177921726 |
| **Customs tariff number:** | 73269098 |
| **ETIM 6.0:** | EC002625 |
| **ETIM 5.0:** | EC002625 |
| **eCl@ss 8.0/8.1:** | 27189234 |
| **eCl@ss 7.0/7.1:** | 27189234 |
| **eCl@ss 6.0/6.1:** | 27189234 |
| **eCl@ss 5.1/5.1.4:** | 27189234 |
| **Product description:** | VX Punched rail 18 x 38 mm, for W/D: 600 mm |

© Rittal 2019