Specifications

Eaton EBH00013TBM8

Catalog Number: EBH00013TBM8

Eaton Bussmann series low voltage NH fuse base, Switch disconnector, low voltage, 160 A, AC 690 V, NH000, AC21B, 3P, IEC, 60mm busbar, cable terminal – bottom, for connection of conductors with lug terminals - M8 screws



General specifications

Product Name Eaton Bussmann series low voltage NH fuse base	**Catalog Number** EBH00013TBM8
	EAN 5027590335126
Product Length/Depth 195 mm	**Product Height** 145 mm
Product Width 100 mm	**Product Weight** 891 g
Compliances CE	

Powering Business Worldwide

Product specifications

Type

Fuse accessory

Application

Motor control centres, distribution boards, Cable distribution cabinets

Amperage Rating

160 A

Rated operational power at AC-23A, 400 V, 50 Hz

0.064 kW

Rated permanent current (Iu)

160 A

Rated uninterrupted current (Iu)

160 A

Conditioned rated short-circuit current Iq

0.1 kA

With error protection

No

Number of poles

Three-pole

Rated operation power at AC-23, 400 V

0.064 kW

Rated short-time withstand current (Icw)

100 kA

Electrical connection type of main circuit

Screw connection

Actuator position

Front side

Actuator type

Cover grip

Construction size

NH000

Fuse shape

Horizontal

Suitable for

Busbar mounting

Resources

Catalogs

eaton-product-overview-for-machinery-catalogue-ca08103003zen-en-us.pdf

CA134002EN

Declarations of conformity

CE fuse switch disconnectors, EBC, EBV and EBH series

UKCA fuse switch disconnectors, EBC, EBV and EBH series

Technical data sheets

10292 EBH000 Horizontal switch-disconnector

10275 EBV Vertical fuse switch-disconnector

Technical service bulletins

10293 EBH Horizontal switch-disconnector

NH000

Suitable for fuses

NH000

Cable entry type

Bottom

Mounting method

DIN rail

60 mm busbar mounting

Voltage rating

690

Degree of protection (front side)

IP30

Electrical connection type

Screw connection

Rated operating voltage (Ue) at AC - max

690 V

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia