Rittal – The System.

Faster – better – everywhere.

EC speed control Control unit for EC fan – SK 3235.440

Date : Apr 26, 2021

ENCLOSURES POWER DISTRIBUTION CLIMATE CONTROL IT INFRASTRUCTURE SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

EC speed control Control unit for EC fan – SK 3235.440

created: 26.04.2021 build on www.rittal.com/uk-en



Product description

Description:	Temperature-dependent speed control for EC fans to reduce noise and save energy. The function of the fan can also be monitored.
Function principle:	Activation and monitoring of up to 4 EC fan-and-filter units For mounting on a 35 mm support rail EN 50 022 External temperature sensor to record the actual temperature Status LED to display the operating status Alarm relay for reporting overtemperature, fan defect, cable break and sensor failure
Supply includes:	Speed control NTC sensor, length 1.80 m
To fit Model No.:	3240.500 3241.500 3243.500 3244.500 3245.XXX 3140.500 3140.510

Product description

Rated operating voltage:	100 V - 250 V
Temperature range:	Setting range: +5 °C...+55 °C
Speed:	100 %
eCl@ss 8.0/8.1:	27142320
Packs of:	1 pc(s).

Weight/pack:	0.53 kg
EAN:	4028177670716
Customs tariff number:	90328900
ETIM 7.0:	EC000256
ETIM 6.0:	EC000256
eCl@ss 8.0/8.1:	27142320
eCl@ss 6.0/6.1:	27210707
Product description:	SK speed control unit EC, Control unit for EC fan, 100-250 V

Approvals

Approvals:	UR + C-UR
Certificates:	EAC
Declarations:	Declaration of conformity