Rittal – The System.

Faster – better – everywhere.

# Enclosure internal fan – SK 3108.100

Date : Apr 26, 2021

ENCLOSURES POWER DISTRIBUTION CLIMATE CONTROL IT INFRASTRUCTURE SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

# Enclosure internal fan – SK 3108.100

created: 26.04.2021 build on www.rittal.com/uk-en



## Product description

| | |
|---|---|
| **Description:** | To prevent hot-spots and support the air routing of active enclosure climate control components. Adjustable in two axes. Attached to the frame section. Several fans may be cascaded using the quick-release clamping strip. |
| **Supply includes:** | Complete unit with axial fan ready for connection<br>Snap-on pivot device<br>Assembly parts |

## Product description

| | |
|---|---|
| **Air throughput (unimpeded air flow):** | 160 m³/h |
| **Air throughput, unimpeded air flow (without filter mats):** | |
| **Air throughput, unimpeded air flow (with filter mats):** | |
| **Rated operating voltage:** | 230 V, 1~, 50 Hz/60 Hz |
| **Power consumption $P_{el}$:** | At 50 Hz: 19 W<br>At 60 Hz: 18 W |
| **Rated current max.:** | At 50 Hz: 0.12 A<br>At 60 Hz: 0.11 A |
| **eCl@ss 8.0/8.1:** | 27180716 |
| **Packs of:** | 1 pc(s). |

| | |
|---|---|
| **Weight/pack:** | 1.14 kg |
| **EAN:** | 4028177220485 |
| **Customs tariff number:** | 84145915 |
| **ETIM 7.0:** | EC000320 |
| **ETIM 6.0:** | EC000320 |
| **eCl@ss 8.0/8.1:** | 27180716 |
| **eCl@ss 6.0/6.1:** | 27180716 |
| **Product description:** | SK enclosure internal fan, 19/18 W, 230 V, 1~, 50/60 Hz |

## Approvals

| | |
|---|---|
| **Approvals:** | Approval overview |
| **Certificates:** | EAC |
| **Declarations:** | Declaration of conformity |