Specifications

# Eaton 400NHG03B-400

## Catalog Number: 400NHG03B-400

Fuse-link, LV, 400 A, AC 400 V, NH03, gL/gG, IEC, dual indicator, live gripping lugs

### General specifications

**Product Name**
Eaton Bussmann series low voltage NH Fuse

**Catalog Number**
400NHG03B-400

**EAN**
5027590479714

**Product Length/Depth**
150 mm

**Product Height**
71 mm

**Product Width**
54 mm

**Product Weight**
659 g

**Compliances**
RoHS Compliant
CE Marked

**Certifications**
IEC 60269-1
IEC 60269-2
DIN 43620

## Product specifications

### Type

Fuse

### Application

industrial

Utilities, Solar, Wind

### Amperage Rating

400 A

### Fitted with:

Metal gripping lugs

### Fuse size

NH03

### Current type

AC

### Breaking capacity

120 kA

### Frequency rating - max

62 Hz

### Frequency rating - min

45 Hz

### Rated switching capacity

120 kA

### Rated voltage AC

400 V

### Class

Class gG/gL

### Fuse type

Square body with knife blade contact

### Utilization category

gL/gG (cable protection/equipment protection)

### Interrupt rating

120 kAIC

### Fuse indicator

Combination fuse status indicator

### Insulated metal gripping lugs (IMGL)

No

## Resources

### Catalogs

NH Fuse links, bases and gear

eaton-product-overview-for-machinery-catalogue-ca08103003zen-en-us.pdf

CA134002EN

### Declarations of conformity

CE NH Size 03/3, 400V fuse-links

UKCA NH Size 03/3, 400V fuse-links

### Multimedia

Eaton Bussmann – NH fuse link portfolio

### Presentations

NH Overview Video

### Technical data sheets

720099 NH 400 Volts gG

### Technical service bulletins

Datasheet - 400NHG03B-400

Watt losses

24 W

Connection

Blade end

Construction

NH03

Construction size

NH03

Fuse shape

Knife blade contacts

Square body

Voltage type

AC

Suitable for

Microswitch BVL50

Material

Ceramic body

Quantity

3

Voltage rating

400 V

Rated switching capacity AC

120 kA

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia