PRODUCT-DETAILS

ASF34/M32/A/BL

90D PA66 FITTING M32 34MM-BL



General Information

Extended Product Type	ASF34/M32/A/BL
Product ID	7TCA296000R1714
EAN	5020963010644
Catalog Description	90D PA66 FITTING M32 34MM-BL
Long Description	Adaptaseal Straight Conduit Fitting, Fixed External Male Thread, Fine Profile, Nominal Conduit Size 34mm, M32 Thread, Polyamide (Nylon) 66, Black

Additional Information

Product Main Type	Adaptaflex Flexible Cable Protection
Application	For Insertion into Threaded Entries or Knockout to Connect Conduit

Ordering

EAN	5020963010644
UPC	786210281643

© 2025 ABB. All rights reserved.

Technical

Number of Batteries	0
Color	Black
Material	Polyamide/Nylon 6.6
Size	NC 34mm

Environmental

WEEE Category	Product Not in WEEE Scope
RoHS Information	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Container Information

Package Level 1 Units	10 piece
Package Level 1 EAN	5020963010644

Certificates and Declarations

Declaration of Conformity - CE	9AKK107492A9618
RoHS Declaration	9AKK107992A8994
REACH Declaration	9AKK107992A8994

External Classifications and Standards

ETIM 8	EC001176 - Screw connection for corrugated plastic hose
ETIM 9	EC001176 - Screw connection for corrugated plastic hose
UNSPSC	39121311

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

© 2025 ABB. All rights reserved.



© 2025 ABB. All rights reserved.