SES-MARKERS® code marker cards
Self adhesive, self protected EV strips
white marking area

SES-MARKERS®
Quality EV

RoHS

EV

Material: PVC transparent
Temperature range: -20 to +70°C
Operating temperature: +5 to +40°C
Adhesive: rubber
Adhesion on steel: > 3 N/cm
Tensile strength: 25 N/cm


Dimension of the card: 255 x 82 mm

Strip thickness: 0,15 mm
Standard colour: white


Pack: 10 cards


Specification:


- Marking by hand (with Nylon-point pen, biro or pencil).
- Self protection by foil strip.
- Resistant to oils and light solvents.
- Possibility of LASER marking for a readable and indelible marking (please contact us).



type	art. no.	dimensions of the strip A x C (mm)	for cable Ø (mm)	printing surface A x B (mm)	quatity of strips/card	
EV 75/9	0307 0001 001	25 x 75	8 - 16	25 x 22	9	10
EV 112/6	0307 0002 001	25 x 112,5	8 - 28	25 x 22	6	10
EV 112/4	0307 0003 001	37,5 x 112,5	8 - 28	37,5 x 22	4	10
EV 225/2	0307 0004 001	37,5 x 225	8 - 64	37,5 x 22	2	10





Other colours upon request.

Permanent marker pen QUICK-MARKERS®

type	art. no.	colour	point	
EV-permanent	0307 0501 010	black	medium	1
PLIO-404 permanent	0307 0502 010	black	fine	1
PLIO-404 permanent	0307 0503 007	red	fine	1
PLIO-780 opaque	0307 0504 001	white	fine	1



SES-MARKERS® code marker cards

Self adhesive, self protected EV 10 strips

printed


SES-MARKERS®
Quality EV

RoHS

EV 10

Material:	PVC transparent
Temperature range:	-20 to +70°C
Operating temperature:	+5 to +40°C
Adhesive:	rubber
Adhesion on steel:	> 3 N/cm
Tensile strength:	25 N/cm
Dimension of the card:	255 x 64 mm
Print heigth:	2,3 mm
Strips per card:	100 strips
Strip width:	4,5 mm
Strip length:	25 mm (for cables up to Ø 5,5 mm)
Strip thickness:	0,15 mm
Standard colour:	white
Pack:	10 cards same legend (for smaller quantities, an extra charge will be applied).

Ø < 5,5 mm



Article number

code group	detail article	code colour	code legend
0307	0010	001	xxxx

Example for order:
Strip EV 10 white - legend M

0307 0010 001 M

legend	code legend	number strips /card
0	0	100
1	1	100
2	2	100
3	3	100
4	4	100
5	5	100
6.	6	100
7	7	100
8	8	100
9.	9	100
10	10	100
11	11	100
12	12	100
13	13	100
14	14	100
15	15	100
16	16	100
17	17	100
18	18	100
19	19	100
20	20	100

legend	code legend	number strips /card
A	A	100
B	B	100
C	C	100
D	D	100
E	E	100
F	F	100
G	G	100
H	H	100
I	I	100
J	J	100
K	K	100
L	L	100
M	M	100
N	N	100
O	O	100
P	P	100
Q	Q	100
R	R	100
S	S	100
T	T	100
U	U	100
V	V	100
W	W	100
X	X	100
Y	Y	100
Z	Z	100

legend	code legend	number strips /card
⏚	SYTE	100

Other legends upon request. Minimum quantity for order 10 cards.


SES-MARKERS® code marker cards
Self adhesive, self protected EV 20 strips
printed

SES-MARKERS®
Quality EV

RoHS

EV 20

Material:	PVC transparent
Temperature range:	-20 to +70°C
Operating temperature:	+5 to +40°C
Adhesive:	rubber
Adhesion on steel:	> 3 N/cm
Tensile strength:	25 N/cm
Dimension of the card:	255 x 64 mm
Print heigth:	3,2 mm
Strips per card:	37 strips
Strip width:	6 mm
Strip length:	50 mm (for cables up to Ø 10 mm)
Strip thickness:	0,15 mm
Standard colour:	white
Pack:	10 cards same legend (for smaller quantities, an extra charge will be applied).



Article number

code group	detail article	code colour	code legend
0307	0020	001	xxxx

Example for order:
Strip EV 20 white - legend M

0307	0020	001	M

legend	code legend	number strips /card
0	0	37
1	1	37
2	2	37
3	3	37
4	4	37
5	5	37
6.	6	37
7	7	37
8	8	37
9.	9	37
10	10	37
11	11	37
12	12	37
13	13	37
14	14	37
15	15	37
16	16	37
17	17	37
18	18	37
19	19	37
20	20	37

legend	code legend	number strips /card
A	A	37
B	B	37
C	C	37
D	D	37
E	E	37
F	F	37
G	G	37
H	H	37
I	I	37
J	J	37
K	K	37
L	L	37
M	M	37
N	N	37
O	O	37
P	P	37
Q	Q	37
R	R	37
S	S	37
T	T	37
U	U	37
V	V	37
W	W	37
X	X	37
Y	Y	37
Z	Z	37

Other legends upon request. Minimum quantity for order 10 cards.