Specifications

# Eaton 168864



## Catalog Number: 168864

Eaton Distribution parts. Phase busbar, 2-phase, 10qmm, pin, 1m, 1MU

### General specifications

| | |
|---|---|
| **Product Name** | **Catalog Number** |
| Eaton Distribution parts | 168864 |
| **EAN** | **Product Length/Depth** |
| 4015081653560 | 1000 mm |
| **Product Height** | **Product Width** |
| 35 mm | 15 mm |
| **Product Weight** | **Compliances** |
| 0.405 kg | RoHS conform |

Powering Business Worldwide

## Product specifications

### Used with

Busbar

BB-EV

### Type

BB-EV

Busbar

### Features

Insulated

Can be cut to size

### Accessory/spare part type

Busbar for miniature circuit breaker

Busbar for residual current circuit breakers

Busbar for combined residual current/power circuit breaker

Busbar for TVSS

### Electric connection type

Pin

### Rated surge voltage

4.5 KV

### Rated uninterrupted current (Iu)

63 A

### Suitable for number of devices

4

### Application

Switchgear for industrial and advanced commercial applications

### Number of poles

Two-pole

### Color

Other

### Rated short-time withstand current (Icw)

0 kA

### Cross section

10 mm²

### Number of modular spacings

1

### Number of phases

2

## Resources

### Drawings

eaton-dimensions-mas-zv7-50a.jpg

### Wiring diagrams

eaton-wiring-diagram-versch.jpg

### Pitch dimensions

17.8 mm

### Rated operational voltage (Ue) - max

690 V

### Rated conditional short-circuit current (Iq)

0 kA

### Functions

Busbar

---

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia