PRODUCT-DETAILS

OXP6X265

OXP6X265 SHAFT



General Information

Extended Product Type	OXP6X265
Product ID	1SCA108225R1001
EAN	6417019424385
Catalog Description	OXP6X265 SHAFT
Long Description	OXP6X265 SHAFT for pistol handle

Circular Value

Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
REACH Declaration	1SCC011021D0201
RoHS Information	1SCC011020D0201

Ordering

Minimum Order Quantity	10 piece
Customs Tariff Number	85389099
Country of Origin	Finland (FI)

Popular Downloads

© 2023 ABB. All rights reserved.

Data Sheet, Technical Information	1SCC301020C0201
Instructions and Manuals	N/A

Dimensions

Product Net Width	6 mm
Product Net Height	6 mm
Product Net Depth / Length	265 mm
Product Net Weight	0.064 kg

Technical

Shaft Diameter	6 mm
Shaft Length	265 mm

Environmental

RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Date	N/A

Certificates and Declarations

Declaration of Conformity - CE	No declaration needed
REACH Declaration	1SCC011021D0201

Container Information

Package Level 1 Units	bag 1 piece
Package Level 1 Width	20 mm
Package Level 1 Depth / Length	270 mm
Package Level 1 Height	30 mm
Package Level 1 Gross Weight	0.069 kg
Package Level 1 EAN	6417019424385

Classifications

Object Classification Code	N/A
ETIM 7	EC000916 - Switch operating shaft
ETIM 8	EC000916 - Switch operating shaft
ETIM 9	EC000916 - Switch operating shaft
UNSPSC	39122221
IDEA Granular Category Code (IGCC)	5219 >> Switch part or accessory
eClass	V11.1 : 27370413
WEEE Category	Product Not in WEEE Scope
E-Number (Finland)	3659029
E-Number (Sweden)	3171353

© 2023 ABB. All rights reserved.

Categories

Low Voltage Products and Systems → Switches → Change-over and Transfer Switches Accessories

Low Voltage Products and Systems → Switches → DC Switch-Disconnectors Accessories

Low Voltage Products and Systems → Switches → Switch Disconnectors Accessories

Low Voltage Products and Systems → Switches → Switch Fuses Accessories → Accessories for Switch Fuses



© 2023 ABB. All rights reserved.