Specifications

Eaton KTK-R-2



Catalog Number: KTK-R-2

Eaton Bussmann Series Class CC fuse, KTK-R, fast-acting, dual-element current limiting fuse, 2 A, rejection style fuse, interrupting rating of 200kA at 600Vac

General specifications

Product Name
Eaton Bussmann series KTK-R fuse

Catalog Number
KTK-R-2

EAN
5027590445597

Product Length/Depth
1.5 in

Product Height
0.41 in

Product Width
0.41 in

Product Weight
0.02 lb

Compliances
RoHS Compliant
CE Marked

Certifications
UL Listed
CSA Certified

Powering Business Worldwide

Product specifications

Type

Current-limiting fast-acting fuse

Special features

Rejection style

Application

Industrial controls panels and machinery, street lighting, general lighting, capacitors and distribution

Amperage Rating

2 A

Number of elements

Dual

Class

Class CC

Interrupt rating

200 kA

200 kAIC

Fuse indicator

Non-indicating

Connection

Ferrule end x ferrule end

Ferrule

Response time

See time current curve

Material

Melamine tube

Packaging type

Standard

Quantity

10

Voltage rating

600 V

Resources

Catalogs

Bussmann Full Line Catalog

Low Voltage Branch Circuit Fuse Chapter

Multimedia

Bussmann series Fuseology

Technical data sheets

KTK-R Spec Sheet



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia