Rittal – The System.

Faster – better – everywhere.

Lock Insert – TS 8611.130

Date : Oct 26, 2021

ENCLOSURES POWER DISTRIBUTION CLIMATE CONTROL IT INFRASTRUCTURE SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

Lock Insert – TS 8611.130

created: 26.10.2021 build on www.rittal.com/us-en



Product description

Version:	F
Material:	Die-cast zinc

Product description

Suitable for:	Enclosure type: CM Enclosure type: EL 3-part 3 - 15 U Enclosure type: EL 3-part 18 - 21 U Enclosure type: TS Enclosure type: SE Enclosure type: PC enclosure door Enclosure type: IW Enclosure type: TS 8 stainless steel Enclosure type: SE stainless steel
Installation in handle system:	Comfort handle for lock inserts Comfort handle for padlock and lock inserts Folding lever handle for lock inserts Folding lever handle for padlock and lock inserts Mini-comfort handle for lock inserts
Lock Insert:	8 mm triangular
Packaging unit:	1 pc(s).
Weight/packaging unit:	0.02 kg (0 lb.)
Copper weight (kg per piece):	0
EAN:	4028177211971

Customs tariff number:	83015000
ETIM 7.0:	EC000743
ETIM 6.0:	EC000743
eCl@ss 8.0/8.1:	27409218
eCl@ss 6.0/6.1:	27409218
Product description:	TS Lock insert, version F, Die-cast zinc, 8 mm triangular

Approvals

Certificates:	NA