

ELDE.NGB24

- **24 VAC/DC**
- **yellow LED**
- **Screw connection**
- **Mounting flange position 3**

Data

Ordering data	
Product type description	ELDE.NGB24
Article number (order number)	101165998
EAN (European Article Number)	4250116200672
eCl@ss number, Version 9.0	27-37-13-02
Certifications	
Certificates	cULus CCC EAC
General data	
Product name	Light terminal block ELD
Standards	EN 60947-5-1 IEC/EN 60947-1
Installation conditions (mechanical)	arbitrarily
Enclosure material	Plastic, glass-fibre reinforced thermoplastic, self-extinguishing
Gross weight	20 g
General data - Features	
Integral System Diagnostics, general	Yes
Mechanical data	
Installation instructions	pluggable
Mounting flange position	3

Mechanical data - Connection technique	
Terminal Connector	Screw connection
Terminal designations	EN 50005 EN 50013
Cable section, minimum	0.5 mm², rigid 0.5 mm², flexible
Cable section, maximum	2.5 mm², rigid 1.5 mm², flexible

Mechanical data - Dimensions	
Width	10 mm
Length	46 mm
Depth	60 mm

Ambient conditions	
Protection class of Clips or Terminals	IP20
Ambient temperature, minimum	-25 °C
Ambient temperature, maximum	+80 °C

Electrical data	
Rated operating voltage	250 V

Status indication	
Colour of the LED	Yellow
Note (LED switching conditions display)	Supply voltage UB: 24 VAC/DC

Documents

CCC certification
(1,4 MB, 10.05.2019, Revision B)

EAC certification

Pictures

Product picture (catalogue individual photo)



ID: keldlf01

| 534,7 kB | .jpg | 352.778 x 494.594 mm - 1000 x 1402 Pixel - 72 dpi
| 64,5 kB | .jpg | 27.009 x 37.931 mm - 319 x 448 Pixel - 300 dpi
| 41,8 kB | .png | 74.083 x 103.717 mm - 210 x 294 Pixel - 72 dpi

Diagram



ID: krdlek01

| 11,4 kB | .jpg | 112.889 x 25.4 mm - 320 x 72 Pixel - 72 dpi
| 16,9 kB | .cdr |

Operating principle



ID: krf--a05

| 19,5 kB | .cdr |

K.A. Schmersal GmbH & Co. KG, Möddinghofe 3, D-42279 Wuppertal
The details and data referred to have been carefully checked. Images may diverge from original. Further technical data can be found in the manual. Technical amendments and errors possible.
Generated on 23.06.2020 08:51:45