Specifications

Eaton 107186

Catalog Number: 107186

Eaton xEffect SASY 60i Enclosures Switch- & Controlgear Enclosure. Terminal plate, 3p, copper band up to 32x20 mm, 800A



General specifications

Product Name	**Catalog Number**
Eaton xEffect SASY 60i terminal plate	107186
EAN	**Product Length/Depth**
4015081069491	130 mm
Product Height	**Product Width**
205 mm	255 mm
Product Weight	**Compliances**
1.79 kg	RoHS conform

Powering Business Worldwide

Product specifications

Used with

25 mm x 5/10 mm rail
Double T profile
30 mm x 5/10 mm rail
20 mm x 5/10 mm rail
Connection
60 mm system

Special features

Pole pitch adjustable
Fixing direct over busbar terminals
Including shroud with adjustable width
Looping is possible

Type

60 mm system
Connection

Features

Self-extinguishing acc. UL 94

Width clamp

240 mm

Creepage resistance

CTI 200

Terminal contact area

32 mm x 25 mm

Busbar thickness - max

10 mm

Busbar thickness - min

5 mm

Busbar width - max

30 mm

Busbar width - min

20 mm

Conductor cross section - max

750 mm²

Rated operational current (Ie) - max

800 A

Resources

Brochures

eaton-xeffect-sasy60i-customer-success-story-css-wagner-mueller-en-us.pdf

Catalogs

eaton-xeffect-sasy-60i-fk4300-1167gb-en-us.pdf

Product Range Catalog Switching and protecting motors

Certification reports

eaton-xeffect-sasy-60i-declaration-of-conformity.pdf

Drawings

eaton-control-panels-xeffect-sasy-terminal-plate-dimensions-003.eps

eaton-control-panels-xeffect-sasy-terminal-plate-3d-drawing-004.eps

Functions

Connections

Connection kit

Temperature resistance

Temperature resistant to 120 °C

Rated operation current (Ie)

800 A

Suitable for

Flat rail

Three-pole

Strip conductor connection

Material

Silicon free, chlorine free

Rated operational current

800 A

Terminal capacity (conductor)

32 mm x 1 mm (10x)

30 mm x 25 mm

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia