Product data sheet
Characteristics

ZCKE055
limit switch head ZCKE - without lever left and right actuation - +120 °C

Product availability : Stock - Normally stocked in distribution facility

Price* : 55.00 USD



Main

Range of product	OsiSense XC
Series name	Standard format
Product or component type	Limit switch head
Device short name	ZCKE
Head type	Rotary head
Product compatibility	XCKJ
Associated lever	ZCKY91 ZCKY43 ZCKY14 ZCKY11 ZCKY81 ZCKY13 ZCKY52 ZCKY53 ZCKY51 ZCKY41 ZCKY59
Associated body	ZCKJ4104H7 ZCKJ1H7 ZCKJ6H29 ZCKJ7 ZCKJ9H29 ZCKJD31 ZCKJ1 ZCKJ4H29 ZCKJ4104 ZCKJ1H29 ZCKJ404 ZCKJ7H7 ZCKJ6H7 ZCKJD39H7 ZCKJ5H7 ZCKJD37H29 ZCKJ11

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

	ZCKJD37 ZCKJD37H7 ZCKJD39H29 ZCKJ4 ZCKJ41H7 ZCKJ2H29 ZCKJ41 ZCKJ9H7 ZCKJ5 ZCKJD39 ZCKJ4H7 ZCKJ404H7 ZCKJ9 ZCKJ2H7 ZCKJD35H7 ZCKJ7H29 ZCKJ41H29 ZCKJD31H7 ZCKJ21H7 ZCKJ4104H29 ZCKJ8H7 ZCKJ11H29 ZCKJ21H29 ZCKJD35H29 ZCKJD31H29 ZCKJ8 ZCKJD35 ZCKJ8H29 ZCKJ6 ZCKJ5H29 ZCKJ404H29 ZCKJ2 ZCKJ21 ZCKJ11H7
Movement of operating head	Rotary
Type of operator	Without operating lever spring return
Type of approach	Lateral approach 1 or 2 programmable direction

Complementary

Switch actuation	CW and/or CCW From left and/or right
Positive opening	With
Product weight	0.36 lb(US) (0.165 kg)
Head material	Metal

Environment

Ambient air temperature for operation	50...248 °F (10...120 °C)
Ambient air temperature for storage	50...248 °F (10...120 °C)
Environmental characteristic	High temperature

Ordering and shipping details

Category	22411 - LIMIT SWITCHES,IEC,XCKJ
Discount Schedule	T
GTIN	00785901102908
Nbr. of units in pkg.	1
Package weight(Lbs)	0.80000000000000004
Returnability	Y
Country of origin	ID

Offer Sustainability

Sustainable offer status	Green Premium product
RoHS (date code: YYWW)	Compliant - since 0904 - Schneider Electric declaration of conformity

	Schneider Electric declaration of conformity
REACh	Reference not containing SVHC above the threshold Reference not containing SVHC above the threshold
Product end of life instructions	Need no specific recycling operations

Contractual warranty

Warranty period	18 months