Specifications

Eaton 292430



Catalog Number: 292430

Eaton xEnergy Basic LV systems Low voltage switchgear. Cable entry / flange plate for W=600mm, pass-through flange, white

General specifications

Product Name	**Catalog Number**
Eaton xEnergy Basic other accessory	292430
EAN	**Product Length/Depth**
4015082924300	175 mm
Product Height	**Product Width**
20 mm	545 mm
Product Weight	**Compliances**
0.86 kg	RoHS conform

Powering Business Worldwide

Product specifications

Used with

Service distribution board IVS
Wall-mounting distribution system
Accessory
Accessory consideration

Special features

Equipment supplied: cable entry/flange plate, mounting accessories Push-through flange

Type

Accessory Service distribution board IVS Wall-mounting distribution system

Accessory/spare part type

Other
Flange plates
Cable entries
Accessory

Surface finishing

With powder coating

Cable entry type

2K-flange

Color

Traffic white (RAL 9016)

Degree of protection

IP30

Unit type

Modular system

Suitable for width

600 mm

Material

Sheet steel

Mounting method

Surface mounting

Functions

Additional equipment

Resources

Brochures

eaton-xenergy-basic-light-brochure-br014024-en-us.pdf

Catalogs

eaton-distribution-boards-xenergy-basic-catalog-ca014010en-en-us.pdf

Declarations of conformity

DA-DC-03_xEnergy_Basic_BP

Sales notes

eaton-f3a-flange-flyer-fl019005en-en-us.pdf



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia