StarTech.com
Hard-to-find made easy®

Data Sheet

# USB C Multiport Adapter - USB-C Mini Travel Dock w/ 4K HDMI or 1080p VGA - 3x USB 3.0 Hub, SD, GbE, Audio, 100W PD Pass-Through - Portable Docking Station for Laptop/Tablet

Product ID: DKT30CHVAUSP



This USB-C multiport adapter turns your MacBook Pro, USB-C™ laptop, Chromebook or Android (Samsung Galaxy S8, Note 9 and above) device into a workstation, anywhere you go. A USB Type-C adapter, ideal for travel, features everything from the essential HDMI or VGA video outputs and USB ports to an SD card reader and 100W PD including PD passthrough. All through a single extended length 30 cm Thunderbolt 3 or USB-C attached host cable, providing more flexibility for harder to reach laptop and tablet connections.

## Two Video Output Options with HDMI or VGA

This USB-C multiport adapter features both an HDMI and VGA port providing you with two single video output options for your boardroom presentations or your workstation setup including support for an ultra-wide monitor.

## Power & Charge with 100W Power Delivery 3.0

With support for USB PD 3.0 (up to 100W), the USB Type-C multiport adapter lets you power and charge your laptop, and power your peripherals when connected to a USB-C power adapter. The USB-C hub features PD passthrough so you can use your laptop's own charger to power the hub (requires 15W) and power or charge your laptop simultaneously.

## All the Essential Ports with USB

The USB-C to USB 3.0 hub gives you one USB-C port (power & data) and two USB-A ports to connect your latest and legacy USB devices.



## Includes Ports to Do More with SD, Audio & Gigabit Ethernet

Access your multimedia content, audio, and network with ease. The multiport adapter provides direct access to your:

- SD, SDHC™ and SDXC™ memory cards or microSD cards via the SD card slot
- Audio content via headphones or microphone through the 3.5mm 4- position audio port
- Ethernet network via the GbE port using a hard-wired connection

DKT30CHVAUSP is backed by a StarTech.com 3-year warranty and free lifetime technical support.



## Certifications, Reports and Compatibility












## Applications

- Seamlessly create a familiar and productive workstation wherever you travel
- Creative professionals can use the built-in card reader to access multimedia

## Features

- 8-IN-1 MULTI PURPOSE DOCK: USB-C multiport adapter eliminates the need for multiple adapters w/ 4K30Hz HDMI or 1080p VGA, 5Gbps USB (2x USB-A, USB-C), SD slot, Gigabit Ethernet, headset/mic audio jack
- 100W POWER DELIVERY 3.0: Use your laptop's USB-C power adapter to power the dock and provide up to 85W to power & charge your laptop, w/ 15W always reserved for the USB type-c travel dock hub
- EXTRA LONG CABLE: 1ft (30cm) attached cable on this usb-c mini dock for extended reach to reduce port/connector strain on 2-in-1 devices like Surface Pro 7, iPad Pro, HP Elite & laptop on riser stands
- WIDE DEVICE COMPATIBILITY: Compatible w/ USB-C & Thunderbolt 3 laptops, tablets, or smartphones, this portable USB-C docking station works w/ HP, Lenovo, Dell, MacBook, Chromebook & Samsung Galaxy
- WIDE OPERATING SYSTEM COMPATIBILITY: With automatic driver setup, this all-in-one USB-C multiport adapter supports all major operating systems, including Windows, macOS, ChromeOS, iPadOS and Android

| | | |
|---|---|---|
| | Warranty | 3 Years |
| **Hardware** | 4K Support | Yes |
| | Audio | Yes |
| | Bus Type | USB 3.1 Gen 1 |
| | Chipset ID | VIA Labs - VL102 |
| | | VIA Labs - VL161 |
| | | VIA Labs - VL817 |
| | | Genesys Logic - GL823K |
| | | ITE Tech - IT6564 |
| | | Realtek - RTL8153B |
| | | Cmedia - HS100-B |
| | Displays Supported | 1 |
| | Fast-Charge Port(s) | No |
| | Port Style | Cable Adapters |
| | Ports | 7 |
| **Performance** | Audio Specifications | 3.5mm Audio |
| | Compatible Networks | 10/100/1000 Mbps |
| | Maximum Analog Resolutions | 1920 x 1200 @ 60Hz (VGA) |
| | Maximum Cable Length | 11.8 in [30 cm] |
| | Maximum Digital Resolutions | 3840 x 2160 @30Hz, 4096 x 2160 @24hz, 3440 x 1440 @60Hz (HDMI) |
| | MTBF | 372518 hours |
| | Power Reservation | 15W |
| | Type and Rate | USB 3.1 Gen 1 - 5 Gbit/s |
| **Connector(s)** | External Ports | 1 - HDMI Receptacle |
| | | 1 - VGA (15 pin, High Density D-Sub) Receptacle |
| | | 1 - RJ-45 Receptacle |
| | | 2 - USB 3.1 USB Type-A (9 pin, Gen 1, 5 Gbps) Receptacle |
| | | 1 - SD Slot Receptacle |
| | | 1 - 3.5 mm Audio Receptacle Input |
| | | 1 - 3.5 mm Audio Receptacle Output |
| | | 1 - USB Type-C (24 pin) USB 3.0 (5Gbps) Receptacle |

| | | |
|---|---|---|
| | Host Connectors | 1 - USB Type-C (24 pin) USB 3.0 (5Gbps) Plug |
| **Power** | Power Delivery | 100W |
| | Power Source | Not Included (not required for standard applications) |
| **Environmental** | Humidity | 5%~90% |
| | Operating Temperature | 0~45°C |
| | Storage Temperature | -10~82°C |
| **Physical Characteristics** | Cable Length | 11.8 in [30 cm] |
| | Color | Black & Space Gray |
| | Material | Aluminum and Plastic |
| | Product Height | 4.6 in [11.6 cm] |
| | Product Length | 0.6 in [1.5 cm] |
| | Product Width | 2.4 in [6 cm] |
| | Weight of Product | 4 oz [114 g] |
| **Packaging Information** | Package Height | 1.2 in [3 cm] |
| | Package Length | 6.7 in [17 cm] |
| | Package Width | 5.6 in [14.2 cm] |
| | Shipping (Package) Weight | 0.3 lb [0.2 kg] |
| **What's in the Box** | Included in Package | 1 - USB-C Docking Station |
| | | 1 - Quick-Start Guide |

Product appearance and specifications are subject to change without notice.