made in Germany







Self-adjusting Stripping Pliers

- For stripping solid, stranded or finely stranded conductors with standard insulation
- For flat and round cables
- Integrated Side Cutter
- With opening spring and catch
- Adjustable stripping length
- Made of reinforced fibreglass plastic

SKU: 707-215

Safety Notes



Use tools for indicated purposes only.
Before using the cutting tools please wear body protection such as safety mask, safety glasses and hand protection.
Beware of wire ends flying off!

NWS Germany Produktion W. Nöthen e.K.
Röntgenstraße 18 | 42719 Solingen | Phone +49 212 24000-0 | www.nws-tools.de | info@nws-tools.de

General Information

Self-adjusting wire strippers
Self-adjusting wire strippers eliminate the annoying task of presetting and adjusting each wire gauge, and reduce to a minimum the risk of conductor damage thanks to automatic adjustment to the conductor cross-section. They are used for single-, multi- or fine-wire conductors with PVC insulation and for thin ribbon cables.



Connecting to the future
Solar energy is a clean alternative source of electricity. To make sure it is also a safe source, junction box and switch cabinet wiring has to be properly stripped, crimped and connected up. Using NWS wire stripping and crimping tools, electricians can handle wires and cables in line with all the applicable regulations and down to the millimetre. In this way, whether private houses, factory roofs or photovoltaic installations, they all become clean and safe players in the transition to renewable energy sources.

Downloads

 707-215.jpg	 detail_707_05032 31034.jpg	 detail_707_05032 31035.jpg

NWS Germany Produktion W. Nöthen e.K.
Röntgenstraße 18 | 42719 Solingen | Phone +49 212 24000-0 | www.nws-tools.de | info@nws-tools.de

made in Germany

Technical Data

707-215		
	Length - mm	215
	Length - in	8 1/2
	Cable - Al + Cu multi-wired conductor single and stranded conductor - cutting capacity - Ø mm	3
	Stripping length - mm	8 - 24
	Stripping capacities - mm²	0,5 - 16
	With opening spring	
	Weight - g	220
	Packing unit	1
	Barcode	40 03758 70721 0

NWS Germany Produktion W. Nöthen e.K.
Röntgenstraße 18 | 42719 Solingen | Phone +49 212 24000-0 | www.nws-tools.de | info@nws-tools.de