Specifications

Eaton 248442

Catalog Number: 248442

Eaton Distribution parts. Shunt release, up to 125A, 110-415V, 1.5HP



General specifications

Product Name
Eaton Distribution parts

Catalog Number
248442

EAN
4015082484422

Product Length/Depth
80 mm

Product Height
75 mm

Product Width
39.1 mm

Product Weight
0.158 kg

Compliances
RoHS conform

Certifications
EN45545-2
IEC 61373

Powering Business Worldwide

Product specifications

Used with

Shunt releases

Type

Accessory
Accessory for miniature
circuit breaker

Application

Switchgear for industrial and advanced commercial applications

Accessory/spare part type

Shunt release

Mounting method

For fitting on left to: AZ

Additional equipment required

Shunt release (for power circuit breaker)

Ambient operating temperature - max

40 °C

Ambient operating temperature - min

-5 °C

Assembly width

1.5 TE

Number of contacts (change-over contacts)

0

Number of contacts (normally closed contacts)

1

Number of contacts (normally open contacts)

1

Number of poles at main contact unit - max

1

Number of switches (fault signal)

0

Voltage type

AC

Functions

Shunt release (for power circuit breaker)

Device fitting

Resources

Declarations of conformity

DA-DC-03_Z-LHASA

Drawings

eaton-dimensions-mas-lhasa.eps

eaton-dimensions-ma-lhasa.jpg

eCAD model

ETN.Z-LHASA_230.edz

Installation instructions

IL019166ZU

mCAD model

z_lhasa_230.stp

z_lhasa_230.dwg

Wiring diagrams

Z7_asa

Miniature circuit breaker (MCB)

Rated operational voltage (Ue) - max

230 V

Rated switch current

2 A

Suitable for current of main contact unit - max

2 A

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia