Specifications

# Eaton 125D200




## Catalog Number: 125D200

Fuse-link, low voltage, 125 A, AC 500 V, D5, 56 x 46 mm, gL/gG, DIN, IEC, time-delay

### General specifications

**Product Name**
Eaton Bussmann series low voltage D fuse

**Catalog Number**
125D200

**EAN**
5027590429726

**Product Length/Depth**
164 mm

**Product Height**
164 mm

**Product Width**
110 mm

**Product Weight**
223.6 g

**Compliances**
CE
RoHS Compliant
CE Marked

**Certifications**
IEC/EN 60269-3
VDE 0636
IEC 60269
DIN EN 60269-3 (VDE 0636 Part 30)
DIN EN 60269-1 (VDE 0636 Part 10)
DIN VDE 0636-301

Powering Business Worldwide

## Product specifications

### Type

Fuse

### Application

For domestic and general industrial applications

### Amperage Rating

125 A

### Fuse size

DV

### Breaking capacity

50 kA

### Construction size (fuse inserts)

DV

### Rated voltage AC

500 V

### Class

Class C gL/gG

### Fuse type

D200 - Time delay

### Accessory/spare part type

125GD200 Yellow screw cap gauge piece

### Utilization category

gG (cable protection/equipment protection)

### Color

Yellow

### Interrupt rating

50 kAIC

### Fuse indicator

Non-indicating

### Connection

Other

### Construction

D5

### Construction size

DV

### Fuse shape

## Resources

### Brochures

eaton-bussmann-series-d-and-d0-fuses-product-aid-pa132014en-en-us.pdf

### Catalogs

CA134002EN

### Technical service bulletins

Datasheet - 125D200

Bottle

### Response time

Time-delay

### Suitable for

R2/DV Fuse base

### Material

White ceramic body

### Release characteristic

Time-lag

### Voltage rating

500 V

---

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia