PRODUCT-DETAILS

# SPLB20/M20/A

## STR NPB FITTING M20 20MM-MET



### General Information

| | |
|---|---|
| Extended Product Type | SPLB20/M20/A |
| Product ID | 7TCA296100R0156 |
| EAN | 5020963071799 |
| Catalog Description | STR NPB FITTING M20 20MM-MET |
| Long Description | 1/2 Inch Nickel Plated Brass Straight Fitting with Fixed External Thread, IP68 Rating, Metric Thread Size M20 |

### Additional Information

| | |
|---|---|
| Product Main Type | Adaptaflex Flexible Cable Protection |
| Application | For Insertion into Threaded Entries or Knockout to Connect Conduit |

### Ordering

| | |
|---|---|
| EAN | 5020963071799 |
| UPC | 786210245416 |

© 2026 ABB. All rights reserved.

## Technical

| | |
|---|---|
| Number of Batteries | 0 |
| Color | Metallic |
| Material | Brass |
| Size | 1/2 Inch |

## Environmental

| | |
|---|---|
| WEEE Category | Product Not in WEEE Scope |
| RoHS Information | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 |

## Container Information

| | |
|---|---|
| Package Level 1 Units | 10 piece |
| Package Level 1 EAN | 5020963071799 |
| Package Level 1 Height | 9.84 in<br>250 mm |
| Package Level 1 Depth / Length | 1 in<br>25 mm |
| Package Level 1 Width | 7.87 in<br>200 mm |

## Certificates and Declarations

| | |
|---|---|
| Declaration of Conformity - CE | 9AKK107492A9618 |
| RoHS Declaration | 9AKK107992A8994 |
| REACH Declaration | 9AKK107992A8994 |

## External Classifications and Standards

| | |
|---|---|
| ETIM 8 | EC001180 - Screw connection for protective metallic hose |
| ETIM 9 | EC001180 - Screw connection for protective metallic hose |
| UNSPSC | 39121311 |

## Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

© 2026 ABB. All rights reserved.



© 2026 ABB. All rights reserved.