PRODUCT-DETAILS

LDC4

LDC4 Additional Coil Terminal Block



General Information

Extended Product Type	LDC4
Product ID	1SBN070156T1000
EAN	3471523130678
Catalog Description	LDC4 Additional Coil Terminal Block
Long Description	LDC4 is an additional coil terminal blocks equipped with screw terminals for a top and/or bottom access to the coil terminals of AF(C)(S)09(Z)(B)...96 contactors and NF(C)(Z)(B) contactor relays.

Ordering

Minimum Order Quantity	10 piece
Customs Tariff Number	85369010

Popular Downloads

Data Sheet, Technical Information	1SBC100214C0202
Instructions and Manuals	1SBC101041M6801
CAD Dimensional	2CDC001079B0201

© 2024 ABB. All rights reserved.

Drawing

Dimensions

Product Net Width	35 mm
Product Net Depth / Length	22 mm
Product Net Height	24 mm
Product Net Weight	0.01 kg

Technical

Standards	IEC/EN 60947-1, IEC/EN 60947-4-1, UL 60947-4-1, CSA C22.2 No. 60947-4-1
Rated Frequency (f)	Control Circuit 50 / 60 Hz
Rated Insulation Voltage (U_i)	acc. to IEC 60947-5-1 690 V
Connecting Capacity Control Circuit	Flexible with Ferrule 1/2x 0.75 ... 2.5 mm² Flexible with Insulated Ferrule 1x 0.75 ... 2.5 mm² Flexible with Insulated Ferrule 2x 0.75 ... 1.5 mm² Rigid Solid 1/2x 1 ... 2.5 mm² Rigid Stranded 1/2x 1 ... 2.5 mm²
Wire Stripping Length	Control Circuit 10 mm
Terminal Type	Screw Terminals
Suitable For	AF09 AF09Z AF12 AF12Z AF16 AF16Z AF26 AF26Z AF30 AF30Z AF38 AF38Z AF40 AF52 AF65 AF80 AF96 AFC09 AFC12 AFC16 AFC26 AFC30 AFC38 AFC40 AFC52 AFC65 AFC80 AFC96 AFS09 AFS09Z AFS12 AFS12Z AFS16 AFS16Z AFS26 AFS26Z AFS30 AFS30Z AFS38 AFS38Z AFS40 AFS52 AFS65 AFS80 AFS96 AF09B AF09ZB AF12B AF12ZB

© 2024 ABB. All rights reserved.

AF16B
AF16ZB
AF26B
AF26ZB
AF30B
AF30ZB
AF38B
AF38ZB
AF40B
AF52B
AF65B
AF80B
AF96B
NF22E
NFZ22E
NF31E
NFZ31E
NF40E
NFZ40E
NF44E
NFZ44E
NF53E
NFZ53E
NF62E
NFZ62E
NF71E
NFZ71E
NF80E
NFZ80E
NF33/11
NF51/11
NFC22E
NFC31E
NFC40E
NFC44E
NFC53E
NFC62E
NFC71E
NFC80E
NFZB22E
NFB22E
NFZB31E
NFB31E
NFZB40E
NFB40E
NFZB44E
NFB44E
NFZB62E
NFB62E
NFZB80E
NFB80E

Technical UL/CSA

Connecting Capacity Control Circuit UL/CSA	Rigid Solid 1/2x 18-14 AWG Rigid Stranded 1/2x 18-14 AWG
Tightening Torque UL/CSA	Control Circuit 11 in·lb

Material Compliance

Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
REACH Declaration	2CMT2021-006202
RoHS Information	2CMT2021-006277
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
WEEE B2C / B2B	Business To Business
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Certificates and Declarations

© 2024 ABB. All rights reserved.

ABS Certificate	ABS_20-2060694-PDA
Declaration of Conformity - CE	1SBD250060U1000
Declaration of Conformity - UKCA	1SBD250061U1000
GOST Certificate	GOST_POCCFR.ME77.B07175.pdf
RINA Certificate	RINA_ELE084013XG
UL Certificate	UL-US-2150887-5 UL-CA-2142658-5
UL Listing Card	UL_E312527

Container Information

Package Level 1 Units	box 10 piece
Package Level 1 Width	85 mm
Package Level 1 Depth / Length	110 mm
Package Level 1 Height	60 mm
Package Level 1 Gross Weight	0.1 kg
Package Level 1 EAN	3471523130678

Classifications

ETIM 7	EC002498 - Accessories for low-voltage switch technology
ETIM 8	EC002498 - Accessories/spare parts for low-voltage switch technology
ETIM 9	EC002498 - Accessories/spare parts for low-voltage switch technology
UNSPSC	39121410
IDEA Granular Category Code (IGCC)	4547 >> Terminal blocks
E-Number (Finland)	3706553
E-Number (Sweden)	3211409

Categories

Low Voltage Products and Systems → Control Products → Contactors → Block Contactors

© 2024 ABB. All rights reserved.



© 2024 ABB. All rights reserved.