

CG 7-125

Compact angle grinders, Ø 125 mm

Handy 750 W compact angle grinder for light grinding and cutting.

Product number: 7 225 04 60 00 0

Details

- Perfect ergonomics thanks to lateral slide switch and small grip dimension.
- Fatigue-free working thanks to low weight.
- Solid metal gearbox head can be turned in 90° steps for maximum robustness and service life and very good access to difficult-to-reach spots.
- Enhanced safety through integrated restart protection.

Price includes

- 1 safety guard
- 1 pair of flanges
- 1 key
- 1 safety hood for cutter
- 1 additional handle

Product feature

- Restart protection

Application

Roughing-down	+
Deburring	+
Dividing	+

+ suitable
++ well suitable

Technical data

TECHNICAL DATA

Input	750 W
Output	440 W
Speed, no load	12,000 - rpm
Grinding disc Ø	125 mm
Elast. Backing pad Ø	125 mm
Cable with plug	4 m
Weight according to EPTA	1.80 kg

VIBRATION AND SOUND EMISSION VALUES

Sound pressure level LpA Uncertainty of measured value KpA	95,8 dB 3 dB
Sound power level LWA Uncertainty of measured value KWA	103,8 dB 3 dB
Sound peak value LpCpeak Uncertainty of measured value KpCpeak	112 dB 3 dB
Vibration value 1 αhv 3-way Uncertainty of measured value Kα	7,2 m/s² 1,5 m/s²
Vibration value 2 αhv 3-way Uncertainty of measured value Kα	1,6 m/s² 1,5 m/s²

Application examples



