Specifications

Eaton 101428

Catalog Number: 101428

Eaton Distribution parts. Interference suppression component RC combination 12-250 VAC



General specifications

Product Name	**Catalog Number**
Eaton Distribution parts	101428
EAN	**Product Length/Depth**
4015081013487	90 mm
Product Height	**Product Width**
37 mm	73 mm
Product Weight	**Compliances**
0.05 kg	RoHS conform

Powering Business Worldwide

Product specifications

Equipment heat dissipation, current-dependent

0 W

Voltage type

AC

Functions

Other

Static heat dissipation, non-current-dependent

1.2 W

Additional equipment required

Other

Ambient operating temperature - max

60 °C

Ambient operating temperature - min

-40 °C

Assembly width

2 TE

Heat dissipation capacity

0 W

Heat dissipation per pole, current-dependent

0 W

Main contact unit current rating - max

0 A

Number of contacts (change-over contacts)

0

Number of contacts (normally closed contacts)

0

Number of contacts (normally open contacts)

0

Number of poles at main contact unit - max

0

Number of switches (fault signal)

0

Rated operational current for specified heat dissipation (In)

0 A

Rated operational voltage (Ue) - max

Resources

Declarations of conformity

DA-DC-03_Z-R

Drawings

eaton-dimensions-z-rc-230.jpg

250 V

Rated switch current

0 A

Device fitting

Universal

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia