PRODUCT-DETAILS

# JRA/S8.230.5.1

## JRA/S8.230.5.1 Blind/Roller Shutter Act, Travel Det, 8-f, 230 V AC, Man Op, MDRC



### General Information

| | |
|---|---|
| Extended Product Type | JRA/S8.230.5.1 |
| Product ID | 2CDG110126R0011 |
| EAN | 4016779698450 |
| Catalog Description | JRA/S8.230.5.1 Blind/Roller Shutter Act, Travel Det, 8-f, 230 V AC, Man Op, MDRC |
| Long Description | For the control of independent 230 V AC drives via ABB i-bus® KNX. The devices are designed for positioning blinds, roller shutters, awnings and other shading products as well as for controlling doors, windows and ventilation flaps. Additional auxiliary voltage is not needed. The travel times of the drive are detected automatically via current detection. To protect the drives, the output contacts are electromechanically locked against each other. Push buttons are located at the front of the device to control the outputs e.g. during commissioning. The current status of the output is displayed via LEDs. |

### Ordering

| | |
|---|---|
| EAN | 4016779698450 |
| Customs Tariff Number | 85371091 |
| Minimum Order Quantity | 1 piece |
| E-Number (Switzerland) | 405430385 |
| E-Number (Finland) | 2815401 |
| E-Number (Sweden) | 1751250 |

### Dimensions

| | |
|---|---|
| Product Net Depth / | 64.5 mm |

| Length | |
|---|---|
| Product Net Height | 90 mm |
| Product Net Width | 144 mm |
| Product Net Weight | 0.41 kg |

## Container Information

| | |
|---|---|
| Package Level 1 Units | box 1 piece |
| Package Level 1 EAN | 4016779698450 |
| Package Level 1 Depth / Length | 149 mm |
| Package Level 1 Height | 65 mm |
| Package Level 1 Width | 92 mm |
| Package Level 1 Gross Weight | 0.456 kg |

## Technical

| | |
|---|---|
| Compatible Bus Systems | KNX (TP) |
| Degree of Protection | IP20 |
| Mounting Type | DIN-rail |

## Certificates and Declarations (Document Number)

| | |
|---|---|
| Data Sheet, Technical Information | 2CDC506040D0201<br>2CDC506062D0202 |
| Instructions and Manuals | 2CDG941067P0005 |
| Declaration of Conformity - CE | 2CDK506044D2701 |
| RoHS Information | 2CDG510124-0100 |

## Environmental

| | |
|---|---|
| RoHS Status | Following EU Directive 2002/95/EC August 18, 2005 and amendment |

## Classifications

| | |
|---|---|
| ETIM 5 | EC001330 - Shutting actuator for bus system |
| ETIM 6 | EC001330 - Shutting actuator for bus system |
| ETIM 7 | EC001330 - Shutting actuator for bus system |
| eClass | V11.0 : 27143128 |
| WEEE Category | 5. Small Equipment (No External Dimension More Than 50 cm) |

## Categories

Low Voltage Products and Systems → Home and Building Automation → KNX → Shading Control → Blind Actuators 230 V AC

