Specifications

Eaton 271524



Catalog Number: 271524

Eaton xEnergy Safety Ci LV systems LV switchgear. Insulated enclosure, box size HxWxD=375x250x225mm, for NZM size 3, TVD

General specifications

Product Name
Eaton xEnergy Safety Ci MCCB enclosure

Catalog Number
271524

EAN
4015082715243

Product Length/Depth
225 mm

Product Height
375 mm

Product Width
250 mm

Product Weight
6.043 kg

Compliances
IEC
RoHS conform

Powering Business Worldwide

Product specifications

Used with

NZM2(-4), PN2(-4), N(S)2(-4)

xEnergy Safety Ci

Special features

With door coupling rotary handle Complete with all required functional parts

Type

xEnergy Safety Ci

Fitted with:

Transparent cover

Standard, black/gray

Frame

NZM2

Enclosure

CI43-200

Accessory/spare part type

Others

Degree of protection

Other

IP65

Enclosure material

Plastic

Rated uninterrupted current (Iu) at max. cross section

≤ 200 A

Terminal for retrofitting of 5th conductor (neutral conductor)

K50/1, K95/1N/BR, K150/1/BR, K240/1/BR

Locking facility

Lockable on the 0 position on the handle using up to 3 padlocks.

Additionally with cover interlock.

Model

Surface mounting

Number of poles

Three-pole/Four-pole

Resources

Brochures

eaton-xenergy-safety-ci-enclosure-brochure-br014001en-en-us.pdf

eaton-xenergy-safety-ci-subway-line-success-story-en-us.pdf

Catalogs

eaton-xenergy-ci-safety-catalog-ca015006en-en-us.pdf

Declarations of conformity

DA-DC-03_NZM2

Drawings

eaton-circuit-breaker-enclosure-xenergy-safety-ci-lv-systems-dimensions-006.eps

mCAD model

nzm2_xci43_tvd.stp

nzm2_xci43_tvd.dwg



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia