
Technical datasheet











AS SC-S246 TL20

E1441344

Assortment Box ov 135pcs, Releasable, Terminal Blocks

CE

Product Properties:

Type of locking/unlocking	Lever
Nominal voltage	450 V
Nominal current	32 A
Suitable for solid conductors	Yes
Transparent	Yes
Number of clamp positions	2-5 .
With operation lever	Yes
Suitable for solid core	Yes
Suitable for flexible core	Yes
Suitable for multi-wire core	Yes
Colour	Green

Dimensions:

Max. AWG-size	12
Min. AWG-size	Other
Nominal cross section (device side)	0.2-4 mm²
Nominal cross section (installation side)	0.2-4 mm²
Cable diameter	1-4 mm
Conductor cross section flexible (fine-strand) with cable end sleeve	0.2-4 mm²
Conductor cross section solid (solid, stranded)	0.2-4 mm²
Width	200 mm
Height	41 mm
MOQ	1 .
Unit	pcs
Nominal cross section	0.2-4 mm²
Length	255 mm
Nominal voltage	450 V

Approvals:

Approved according to CE	Yes

Compliance:

REACH	No SVHC (Latest. 04 Feb 2026)

Other information:

ETIM-Class	EC000446 - Screwless terminal
ETIM-Release	9.0
Trademark	NEMIQ
Product Group	Splicing Connectors - Assortment Boxes
Search Description	SORTIMENT SKARVKLÄMMOR, 135ST, ENR2024V
Alternative SKU	ASSC-S246TL20
E-no	E1441344

Logistic information:

Barcode	733117641532
Country of origin	CN
E-no	E1441344
Item status	Stock item, normally in stock with reservation for in between sales.
MOQ	1 .
Stock code	AS SC-S246 TL20
Taric code	85369010
Unit	pcs

*We reserve the right to make technical changes and disclaim any typographical errors.