Rittal – The System.

Faster – better – everywhere.

Comfort handle for TS, TS IT, SE, PC, IW – TS 8611.070

Date : Oct 26, 2021

ENCLOSURES POWER DISTRIBUTION CLIMATE CONTROL IT INFRASTRUCTURE SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

Comfort handle for TS, TS IT, SE, PC, IW – TS 8611.070

created: 26.10.2021 on www.rittal.com/com-en



Product description

Design:	for profile half-cylinder
Description:	As the handle does not take up any swing space, due to its folding mechanism, the door surface area may be maximised for installed equipment.
Material:	Die-cast zinc
Surface finish:	Powder-coated
Colour:	RAL 7035
Assembly instruction:	The handle adaptor is required for mounting on glazed door TS, lower door PC, designer door IW

Product description

Design:	Note: Prepared for the installation of semi-cylinders with a total length of 40 or 45 mm (to DIN 18 252)
To fit:	Enclosure type: EL 3-part, 18 – 21 U Enclosure type: TS Enclosure type: TS IT Enclosure type: SE Enclosure type: PC enclosure door Enclosure type: IW Enclosure type: TS 8 bayed enclosure suites with comfort handle Enclosure type: SE stainless steel
Packs of:	1 pc(s).

Weight/pack:	0.8 kg
Copper weight (kg per piece):	0
EAN:	4028177211926
Customs tariff number:	83024110
ETIM 7.0:	EC000327
ETIM 6.0:	EC000327
eCl@ss 8.0/8.1:	27409217
eCl@ss 6.0/6.1:	27409217
Product description:	TS Comfort handle, for TS, TS IT, SE, PC, IW, for semi-cylinder, RAL 7035

Approvals

Certificates:	NA