Specifications

Eaton 288934



Catalog Number: 288934

Eaton Distribution parts, Fuse-link, D01, 2A, 400 V, gL/gG

General specifications

Product Name
Eaton Distribution parts

Catalog Number
288934

EAN
4015082889340

Product Length/Depth
36 mm

Product Height
11 mm

Product Width
11 mm

Product Weight
6 g

Compliances
RoHS conform

Certifications
DIN 49522
DIN VDE 0636

Powering Business Worldwide

Product specifications

Used with

Fuse links
Accessory
Fuse material

Type

Accessory
Fuse links
Fuse material

Special features

Snap-fit on DIN rail
in a plastic box in the colour
of the indicator

Amperage Rating

2 A

Frame

D01

Equipment heat dissipation, current-dependent

1.2 W

Utilization category

gG (gL)
gL/gG (cable protection/equipment protection)

Color

Pink

Ambient operating temperature - max

55 °C

Ambient operating temperature - min

-25 °C

Heat dissipation capacity

0 W

Heat dissipation per pole, current-dependent

0 W

Rated operational current for specified heat dissipation (In)

2 A

Rated operational voltage (Ue) - max

400 V

Resources

Characteristic curve

1220DIA-7

1220DIA-6

Declarations of conformity

DA-DC-03_Z-D01-SE_D02-SE

Rated uninterrupted current (Iu)

2 A

Static heat dissipation, non-current-dependent

0 W

Voltage rating at DC

220 V DC

Functions

Accessory

Fuse cartridge

D01

Voltage rating

400 V AC

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia