Specifications

Eaton TAC16



Catalog Number: TAC16

Fuse-link, low voltage, 16 A, AC 1200 V, DC 660 V, BS2692-1, 22 x 139 mm, gL/gG, BS

General specifications

Product Name
Eaton Bussmann series high speed traction fuse

Catalog Number
TAC16

EAN
5027590512800

UPC
051712392747

Product Length/Depth
134 mm

Product Height
57 mm

Product Width
150 mm

Product Weight
105 g

Compliances
Contact Manufacturer

Powering Business Worldwide

Product specifications

Type

Fuse

Application

traction

Amperage Rating

16 A

Current type

AC/DC

Mounting dimension

M5

Center-to-center distance of connections

124 mm

Breaking capacity

63 kA

Rated switching capacity

63 kA

Rated voltage AC

1200 V

Rated voltage DC

660 V

Class

Class C gL/gG

Utilization category

gL/gG (cable protection/equipment protection)

Color

None

Interrupt rating

63 kAIC

Fuse indicator

None

Insulated metal gripping lugs (IMGL)

No

Connection

Bolt-on

Construction

Resources

Declarations of conformity

CE Traction fuses and holders

UKCA Traction fuses and holders

BS2692-1

Construction size

Other

Fuse shape

Offset bolted tags

Voltage type

AC/DC

Voltage rating

1200 V

Fuse system (according to IEC 60269)

Other

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia