PRODUCT-DETAILS

# IS2-ES2085FV2K

## Control and Automation Board W 800 mm H 2000 mm D 500 mm



### General Information

| | |
|---|---|
| Extended Product Type | IS2-ES2085FV2K |
| Product ID | ES2085FV2K |
| EAN | 8015646742308 |
| Catalog Description | Control and Automation Board W 800 mm H 2000 mm D 500 mm |
| Long Description | Cabinet with blind door 2000x800x500mm (HxWxD) W=200mm |

### Technical

| | |
|---|---|
| Standards | IEC 62208, IEC 61439-1-2<br>NEMA 1, 3R, 12 |
| Configuration Type | 5. Cabinet with cable container |
| Enclosure Type | Pre assembled - blind door cabinet with cable container |
| Mounting Type | Pre assembled |
| Product Type | 5B5B10B150 |
| Door Type | Double |
| Surface Finishing | Orange Peel, RAL 7035 |
| Door Surface Finishing | Opaque |
| Material | Sheet Steel Metal |

© 2024 ABB. All rights reserved.

| | |
|---|---|
| Remarks | ETIM |
| RAL Number | RAL 7035 - Light Grey |

## Material Compliance

| | |
|---|---|
| RoHS Information | 1STC860065 |
| RoHS Date | 20140108 |

## Environmental

| | |
|---|---|
| Degree of Protection | acc. to IEC 60529 IP55 |
| Environmental Information | 1STC804013D0209 |

## Dimensions

| | |
|---|---|
| Product Net Width | 810 mm |
| Product Net Height | 2111.5 mm |
| Product Net Depth / Length | 840 mm |
| Product Net Weight | 103.7480 kg |
| Reference Depth/Length | 500 mm |
| Reference Height | 2000 mm |
| Reference Width | 800 mm |

## Ordering

| | |
|---|---|
| Package Level 1 Units | 1 piece |
| Package Level 1 Gross Weight | 110.370 kg |

## Certificates and Declarations

| | |
|---|---|
| Declaration of Conformity - CE | 1STC860113 |

## Installation

| | |
|---|---|
| Instructions and Manuals | 1STM604121R0006 |

## Popular Downloads

| | |
|---|---|
| Data Sheet, Technical Information | 1STC804013D0209 |

## Classifications

| | |
|---|---|
| ETIM 8 | EC000261 - Enclosure/cabinet (empty) |
| ETIM 9 | EC000261 - Enclosure/cabinet (empty) |

© 2024 ABB. All rights reserved.

| | |
|---|---|
| WEEE Category | 4. Large Equipment (Any External Dimension More Than 50 cm) |
| WEEE B2C / B2B | Business To Business |
| CN8 | 85381000 |
| eClass | V11.1 : 27180101 |
| Object Classification Code | U |

## Categories

Low Voltage Products and Systems → Enclosures → Automation and Control Enclosures (System pro E control) → Enclosures - Baying (Horizontal Joining) → IS2



© 2024 ABB. All rights reserved.