Specifications

Eaton 262415



Catalog Number: 262415

Eaton Distribution parts. Auxiliary contact, for FI…, 2W, 0.5HP

General specifications

Product Name
Eaton Distribution parts

Catalog Number
262415

EAN
4015082624156

Product Length/Depth
80 mm

Product Height
75 mm

Product Width
8.8 mm

Product Weight
0.045 kg

Compliances
RoHS conform

Certifications
EN45545-2
IEC 61373

Powering Business Worldwide

Product specifications

Used with

Accessory for residual current circuit breaker

Accessory

Type

Accessory

Accessory for residual

current circuit breaker

Accessory/spare part type

Auxiliary contacts

Additional equipment required

Other

Ambient operating temperature - max

40 °C

Ambient operating temperature - min

-5 °C

Assembly width

0.5 TE

Number of contacts (change-over contacts)

2

Number of contacts (normally closed contacts)

0

Number of contacts (normally open contacts)

0

Number of poles at main contact unit - max

2

Number of switches (fault signal)

0

Rated insulation voltage (Ui)

250 VAC

Voltage type

AC

Functions

Auxiliary switch

Device fitting

Earth leakage switch

Resources

Drawings

122I094

eCAD model

DA-CE-ETN.FIP-XAM002

Installation instructions

IL019179ZU

mCAD model

z_nhk.dwg

z_nhk.stp

Wiring diagrams

122S061

Rated operational voltage (Ue) - max

230 V

Rated switch current

6 A

Suitable for current of main contact unit - max

0 A

Rated operational current

0.5 A (110 V DC-12)

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia