Specifications

Eaton 271065



Catalog Number: 271065

Eaton Distribution parts. Busbar, isolated, 80A, 3p, +aux. contact

General specifications

Product Name	**Catalog Number**
Eaton Distribution parts	271065
EAN	**Product Length/Depth**
4015082710651	30 mm
Product Height	**Product Width**
14.9 mm	1016 mm
Product Weight	**Compliances**
0.6 kg	RoHS conform

Powering Business Worldwide

Product specifications

Features

Insulated

Can be cut to size

Electric connection type

Fork

Rated surge voltage

0 KV

Rated uninterrupted current (Iu)

80 A

Suitable for number of devices

12

Number of poles

Three-pole

Color

Other

Rated short-time withstand current (Icw)

0 kA

Cross section

16 mm²

Number of modular spacings

3

Number of phases

3

Pitch dimensions

27 mm

Rated operational voltage (Ue) - max

415 V

Rated conditional short-circuit current (Iq)

0 kA

Suitable for

32 devices

Devices with auxiliary switch

Resources

Declarations of conformity

DA-DC-03_Z-GV

Drawings

eaton-dimensions-mas-zv73.jpg

eaton-3d-drawing-versch-z-gv-2.jpg

Wiring diagrams

eaton-wiring-diagram-versch.jpg



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia